





Factors affecting COVID-19 vaccination acceptance and uptake among the general public: a living behavioural science evidence synthesis (v3, Jun 30th, 2021)

Jacob Crawshaw, PhD ^{1*}; Kristin Konnyu, PhD ^{2*}; Gisell Castillo, MA ¹; Zack van Allen, MA MBA ¹;

Jeremy M. Grimshaw, MBChB PhD ^{1,3}; Justin Presseau, PhD ^{1,4}

¹ Centre for Implementation Research, Ottawa Hospital Research Institute, ON, Canada ² Center for Evidence Synthesis in Health, School of Public Health, Brown University, RI, USA ³ Department of Medicine, University of Ottawa, ON, Canada ⁴ School of Epidemiology and Public Health, University of Ottawa, ON, Canada * joint first authors







Factors affecting COVID-19 vaccination acceptance and uptake among the general public: a living behavioural science evidence synthesis (v3, Jun 30th, 2021)

Research Question: How can behavioural science help inform messaging to and broader supports for the <u>general public</u> to encourage vaccination for COVID-19? How can behavioural science help address vaccine-related concerns from equity-seeking groups?

Table of contents	Page
Summary of key findings	3
Introduction	5
Objectives	6
Methods	7
Results	
Study characteristics	9
Objective 1: Rates of COVID-19 vaccination acceptance among the general	11
public	
Objective 2: Rates of COVID-19 vaccination uptake among the general public	11
Objective 3: Factors associated with higher and lower COVID-19 vaccination	11
acceptance and uptake in the general public	
Objective 4: Factors associated with higher and lower COVID-19 vaccination	18
acceptance and uptake among equity-seeking groups	
Discussion	23
References	32
Appendices	43







New in this update (version 3, 30th Jun, 2021)

- 52 studies were added, including 11 from Canada, with an increasing number reporting actual vaccination uptake alongside factors affecting vaccine acceptance (*k*=7).
- COVID-19 vaccination acceptance and uptake is high among Canadians (≥80%), although these data are primarily from unpublished data sources. As of Jun 19th, 2021, the Government of Canada website reports 75% of the Canadian population (aged 12+) has received at least one dose of a COVID-19 vaccine.
- Few Canadian studies to date have investigated determinants of vaccine acceptance/uptake beyond sociodemographic factors.

Key overall findings

- We identified 118 studies assessing factors associated with vaccination acceptance and uptake (in the period since COVID-19 vaccine approval; spanning Nov, 2020 - May, 2021); 12 studies were conducted in Canada.
- The overall percentage of Canadians willing to accept a COVID-19 vaccine was 82% (*k*=11; IQR=77-85%). One Canadian study also reported that 61% of parents would be willing to vaccinate their children. Among 3 Canadian studies, median COVID-19 vaccination uptake was 80% (IQR=68-83%).
- We categorised all identified BARRIERS and ENABLERS to vaccine acceptance/uptake
 using the Capability, Opportunity, and Motivation-Behaviour (COM-B) model and the
 Theoretical Domains Framework to inform how different strategies might be leveraged
 to address different types of predominant issues:
 - Capability-related factors identified mostly concerned Knowledge (or lack thereof) about COVID-19 and vaccines
 - Opportunity-related factors identified included Environmental context and resources (relating to access, cost, and convenience) and Social influences (mistrust around how the pandemic has been handled, developing social norms around vaccination)
 - Motivation-related factors identified included Beliefs about consequences
 (including concerns and misunderstanding about COVID-19 vaccine safety,
 efficacy, and necessity), Social/professional role and identity (framing
 vaccination as a collective responsibility), Reinforcement (in particular having a
 history of getting other vaccines), and Emotion.
- 25/118 studies assessed whether vaccine acceptance was associated with race and ethnicity among equity-seeking groups. Of these, 24/25 studies found that that







- racialized (Black and Latinx in particular) respondents are less likely to express vaccine acceptance compared to White respondents. Respondents from some racialized groups (e.g., Black, Latinx) expressed more mistrust in governments and pharmaceutical companies than other groups (e.g., White, Asian).
- While there is an increasing amount of Canadian research investigating vaccination acceptance and uptake (although mostly from unpublished data sources to date), more Canadian research would help to better serve and support equity-seeking groups as Canada continues its COVID-19 vaccination program.

Key implications

- Across 9 of 14 Theoretical Domains Framework domains, we identified 10 BARRIERS
 and 11 ENABLERS (identified in ≥ 3 studies) which may have implications for COVID-19
 vaccine interventions (p23).
- Based on these data, there is considerable evidence for Capability- and Motivation-related factors associated with COVID-19 vaccination acceptance and uptake which may help influence vaccination messaging, campaigns, and program design. However, there is also a need to support motivated individuals who may nevertheless experience barriers to access that may be outside their control (Opportunity-related factors).
- Addressing these key and recurring identified barriers and enablers should involve multiple approaches at multiple levels. Different behavioural strategies are needed when addressing Capability-, Motivation-, and Opportunity- related barriers/enablers. A one-size-fits-all approach is unlikely to address the range of barriers and enablers expressed by the general public. Strategies shown to be effective in supporting vaccination acceptance/uptake for other vaccines [1] should be carefully considered in terms of how they address Capability-, Opportunity-, or Motivation-related barriers currently known for COVID-19 vaccines.







Introduction: Leveraging behavioural science to provide a new lens on COVID-19 vaccination

Since Dec 2020, COVID-19 vaccines have steadily been rolled out across Canada, with 75% of Canadians (aged 12+) having at least one dose and 22% fully vaccinated (as of June 19th, 2021). Accelerating the pace of vaccination can help curb the spread of COVID-19 which has accounted for an estimated 3.9 million deaths globally, including over 26,000 Canadians (as of Jun 25th, 2021, cf. Johns Hopkins COVID tracker). High uptake of COVID-19 vaccines across Canada is needed to achieve maximum effectiveness across the population and groups within it, and data continues to show the benefit of full vaccine uptake to substantially reduce hospitalisations for COVID-19 [2], especially in light of emerging variants of concern including the Delta variant. However, hesitancy and other barriers to receiving a COVID-19 vaccine remains a public health concern which may undermine efforts to reduce the continued impact of COVID-19. It is crucial to identify and understand what key factors are associated with vaccination acceptance in the general public and in particular individuals among equity-seeking groups such as those experiencing racial, ethnic, and socioeconomic disparities/marginalization. This is especially important given the disproportionate health, economic, and emotional impact COVID-19 has had on equity-seeking groups in Canada.

A behavioural science approach does not imply an individual-focus, nor does it put the onus of responsibility on individuals. Rather, framing COVID-19 vaccination uptake as a behaviour allows us to draw upon decades of research aimed at understanding factors that affect what people think, feel, decide, and ultimately do. Such an approach fully recognizes that what individuals, groups, communities, and populations do is shaped by the past and present experiences, resources, and constraints afforded or not by the social and physical contexts in which they live and work. These experiences and affordances (or lack thereof) ultimately serve to shape the Capability, Opportunity, and Motivation that drive the behaviour of individuals and groups (cf. **COM-B model** [3]).

Capability-, Opportunity- and Motivation-related factors of individuals are shaped by the multiple social, cultural, historical, community, governmental, clinical, and environmental levels that influence acceptance and uptake of COVID-19 vaccination. We drew upon the overarching COM-B model to situate 14 key behavioural factors that can drive vaccination intention and uptake (**Figure 1**). These 14 factors are reflected in the *Theoretical Domains Framework* (TDF), a synthesis of decades of research and evidence of the key, modifiable factors that influence behaviour [4–6]. TDF factors are linked to specific behaviour change techniques that can be used to address particular barriers and enablers to vaccination, thus linking barriers to solutions. Using these approaches can enable exploration of whether different factors influence vaccine acceptance in different equity-seeking groups which may point to strategies and







programs that address the needs and concerns of these groups. Such approaches have been used extensively to understand and address behaviour change in other health-related contexts but have yet to be fully leveraged to address COVID-19 vaccination acceptance and uptake [7].

As part of our continued series of monthly ($\underline{v1}$, $\underline{v2}$) living behavioural science evidence synthesis (LBSES), we will use perspectives from the COM-B model and TDF to help identify factors affecting vaccination acceptance and uptake among the general public globally and in Canada, and in particular those serving equity-seeking groups. The present LBSES can be considered alongside version 3 (published Jun 18th, 2021) of our LBSES focusing on COVID-19 vaccination acceptance/uptake specifically among healthcare workers (HCWs) which can be found here.

Living Behavioural Science Evidence Synthesis Objectives


- 1. Identify rates of COVID-19 vaccination acceptance in the general public globally and in Canada (p11).
- 2. Identify rates of COVID-19 vaccination uptake in Canada in the general public globally and in Canada (p11).
- 3. Identify factors associated with COVID-19 vaccination acceptance and uptake among the general public globally and in Canada (p11).
- 4. Identify factors associated with COVID-19 vaccination acceptance and uptake among equity-seeking groups (p18).







Figure 1. Potential drivers of vaccination acceptance and uptake based on the COM-B model and Theoretical Domains Framework



Methods

Data sources

We identified three databases that have been capturing published peer-reviewed papers, preprints, published reports, and unpublished datasets relating to our research questions. The first database is run by the McMaster Health Forum who produces a monthly Living Evidence Profile investigating COVID-19 vaccine rollout which includes acceptance/uptake. We searched this Profile manually for papers relevant to our research questions. The second database is run by Kristin Konnyu (Brown University, USA) who is co-author on this review. This database includes weekly searches of MEDLINE (via PubMed) and the Cochrane Register of Clinical Trials (PROSPERO registration: CRD42021253533). Two researchers have been independently undertaking level 1 (title and abstract) and level 2 (full-text) screening (screening team includes co-authors Crawshaw, Konnyu, Castillo, and van Allen). Discrepancies during screening are being resolved via consensus meetings. Data extraction is being undertaken by Crawshaw, Konnyu, Castillo, and van Allen. A third database maintained by the Knowledge Synthesis team in the Emerging Science Group, Public Health Agency of Canada produce a monthly Evergreen







Rapid Review includes which include searches of Pubmed, Scopus, BioRxiv, MedRxiv, ArXiv, SSRN, Research Square, and COVID-19 information centers run by Lancet, BMJ, Elsevier, Nature, and Wiley [8]. The present LBSES focused specifically on identified Canadian data from the Evergreen Rapid Review. The following links represent the most recent publically-available reports based on the databases detailed above:

- <u>COVID-19 Living Evidence Profile #1: What is known about anticipated COVID-19 vaccine roll-out elements?</u> [9] (Most recent search: Apr 20, 2021).
- Rapid Evidence Review: What are the barriers and facilitators to individuals' willingness to be vaccinated for COVID-19? [10]; Understanding and promoting COVID-19 vaccine uptake among marginalized communities in RI [11] (Most recent data extraction from database: Apr 19, 2021).
- <u>Evergreen Rapid Review on COVID-19 Vaccine Knowledge, Attitudes, and Behaviours Update 7 [8] (Most recent search: Jun 1, 2021).</u>

Inclusion criteria

- *Population:* General public and particularly those from equity-seeking groups. Includes patient and student samples, among others.
- Outcome: Studies that include a measure (self-report and/or objective) of COVID-19 vaccination willingness/intention/hesitancy/acceptance (referred to as vaccination acceptance hereafter), and/or uptake.
- *Time:* Studies that collected data in the period since COVID-19 vaccine approval (spanning Nov, 2020 May, 2021). Studies that had data collection periods that bridged this timeframe (e.g., Sep 1 Dec 31, 2020) were included.
- *Design:* Qualitative and survey (observational) data; cross-sectional, experimental, prospective, and cohort designs.

Exclusion criteria

- Outcome: Studies that only included a measure of vaccination knowledge.
- *Time:* Studies that collected data collection exclusively between Jan Oct 2020 (i.e., before COVID-19 vaccines were being authorised for emergency use). See here (p63) for a list of relevant studies (k=131) which collected data in the months prior to COVID19 vaccine approvals (Jan Oct 2020) which were excluded from this review.







Data extraction

The three data sources were manually searched and cross-referenced for relevant studies. A standardised data extraction form (**Appendix 1**) was used to extract relevant data relating to study characteristics, behavioural specification, factors affecting vaccination acceptance based on the COM-B model and TDF, and equity-related data. Key barriers and enablers affecting COVID-19 vaccination were identified. Recommendations based on key barriers/enablers were drawn from the team's expertise and key papers and syntheses from the broader vaccination literature [1,12]. The equity-related factors identified in our <u>first review focusing on HCWs</u> suggested that racialized groups may differ in their level of vaccine acceptance. We therefore focused our analysis of equity-related factors to race and ethnicity for this present review. 'k' refers to the number of studies. Where available, we have captured key statistical analyses (odds ratios (OR); adjusted odds ratios (ORa)) on the factors associated with higher or lower vaccination acceptance/uptake.

Results

Study characteristics

A total of 118 studies met our inclusion criteria (including 52 added to version 3 of this review) [13–129]. **Appendix 2** provides an overview of each included study. 84 were published peerreviewed papers, 26 were preprints, and 8 were unpublished Canadian datasets. 99/118 used cross-sectional survey designs; 13 were longitudinal studies [25,51,75,90,100,117,122–125,127–129]; 4 were experimental studies [16,39,68,78]; 1 was a retrospective study [102]; and 1 was a qualitative study [41]. 112/118 studies measured COVID-19 vaccine acceptance; 11 studies also reported actual vaccination uptake [37,46,47,93,102,106,108,117,123,125,128].

42/118 studies collected data on specific groups from the general public: university students/young adults patients [26,34,49,60,82,93,103]; patients with inflammatory bowel disease [24,85]; patients with chronic respiratory or autoimmune disease [57]; patients with multiple sclerosis [64]; patients with HIV [74,104]; outpatients [43]; patients with psoriasis [67]; patients with a rheumatologic condition [17,20,86]; patients with cancer [20,84]; patients with kidney disease [87]; people with epilepsy and caregivers [98]; tobacco/marijuana users [130]; people experiencing homelessness [42]; people from sexual and gender minority backgrounds [71]; incarcerated or detained residents [69]; international travelers [56]; people with development disabilities [37]; workers supporting people with intellectual disabilities [44]; pregnant people/perinatal/non-pregnant mothers [21,48,65,96,105,110,113] and parents [114,121]. Two studies recruited migrant samples [36,41] and another study recruited







individuals from underserved rural and urban communities [28]. One study recruited from a New York Haredi-Orthodox Jewish Community [109].

46/118 studies were conducted exclusively in North America: 34 studies were conducted in the USA [18,23–25,28,29,34,35,37,39,42,44,50,52,53,55,57,61,63,67,69–71,87,93–95,103,108,109,112,113,117,118] and 12 in Canada [44,119–129]. One large study collected data in both the USA and UK [51]. 72/118 studies were conducted outside of North America: Qatar [13,40,96]; Italy [19–21,26,48,99]; UK [27,41,58,80]; Ireland [110]; Spain [30]; Jordan [31,60]; China [32,36,49,75,82,105–107]; India [33,111]; Bangladesh [79,92]; Nigeria [38]; Poland [46,84]; Turkey [77,89,97,114]; Greece [78]; Germany [47,68,83,88]; Japan [45]; Portugal [64,66]; France [74,85]; Taiwan [43]; Slovenia [54]; Lithuania [98]; Saudi Arabia [14,81]; Iraq [115]; Libya [116]; Malta [22]; Denmark [100]; Finland [90]; Austria [101]; Israel [102]; and Russia [72]. 11 studies collected data from multiple countries in different regions/classifications: Latin America [16]; Europe [17]; Arab states [59]; Africa [62]; Global [56,65,73,76,86,104]; and low-middle income countries [15].







Objective 1: COVID-19 vaccination acceptance rates in the general public

Across 104/118 studies, almost two thirds of respondents from the general public were willing to accept a COVID-19 vaccine (median=63%, IQR=50-80%). These data are comparable to the acceptance rates found among HCWs (k=64, median=64%, IQR=46-79%) reported elsewhere (v3, Jun 18th, 2021). In student/young adult samples (k=7), average acceptance rates were 76% (IQR=53-82%) [26,34,49,60,82,93,103] and in pregnant/perinatal samples (k=7), average rates of acceptance were 53% (IQR=44-64%) [21,48,65,96,105,110,113]. The overall percentage of Canadians willing to accept a COVID-19 vaccine was 82% (k=11; IQR=77-85%) [44,119–129]. One Canadian study also reported that 61% of parents would be willing to vaccinate their children [121].

Objective 2: COVID-19 vaccination uptake rates

10 studies reported COVID-19 vaccination uptake rates [37,46,47,93,102,117,123,125,128,130]. Data from the <u>Government of Canada website</u> indicates that as of Jun 19th, 2021, 75% of the Canadian population (aged 12+) had received at least one dose of a COVID-19 vaccine. Among 3 Canadian studies added to version 3 of this review, median COVID-19 vaccination uptake was 80% (IQR=68-83%) [123,125,128].

Objective 3: Factors associated with higher and lower COVID-19 vaccination acceptance

95/118 studies provided evidence of the potential factors underlying COVID-19 vaccine acceptance which were mapped using the COM-B model and TDF. 5 studies either reported rates of vaccination acceptance only or reported data that we were unable to be map onto the COM-B model and TDF [16,21,33,70,76]. Moreover, 5 studies assessed potential factors predicting vaccination acceptance among equity-seeking groups specifically [25,28,35,37,51] (see Objective 4). 7/11 eligible Canadian studies identified from the Evergreen Rapid Review – Update 7 [8] focused specifically on sociodemographic determinants of COVID-19 vaccination acceptance/uptake only which, while important factors, do not lend themselves to interpretation from a behavioural perspective in any additional detail than already provided.

To date, 9 (of a possible 14) TDF domains appear to be important determinants of COVID-19 vaccine acceptance in the general public (based on recent data since vaccines have been approved for use) (see **Figure 2**):

• Capability (Knowledge [k=13]) (see in-text summary on p16, and detailed coding in Appendix 3).








- Opportunity (Environmental context and resources [k=16]; Social influences [k=39]) (see in-text summary on p16, and detailed coding in Appendix 4).
- Motivation (Beliefs about consequences [k=80]; Social/professional role and identity [k=10]; Reinforcement [k=24]; Emotion [k=11]; Goals [k=1]; Optimism [k=1] (see in-text summary on p17, and detailed coding in Appendix 5).

Figure 2. Frequency of Capability, Opportunity and Motivation factors associated with COVID-19 vaccination acceptance in the general public across 118 studies









These domains are similar to those found in a recent review [10] and our LBSES focusing on COVID-19 vaccination acceptance/uptake among HCWs (v3, Jun 18th, 2021), although these reviews included studies reporting data since the start of the pandemic which were excluded in the present review. As such, our findings indicate that drivers of vaccination acceptance appear to remain consistent to date, even in light of authorised vaccines (from Nov/Dec, 2020). Domains that did not emerge to date as important determinants of COVID-19 vaccine acceptance among the general public included: *Skills*; *Behavioural regulation*; *Memory, attention and decision-making*; and *Beliefs about capability*. **Figure 3** and **Figure 4** depict the 21 most frequent barriers and enablers (identified in ≥3 studies) across domains. These will be discussed further in the implications section of this report (p23).







Figure 3. Frequency of BARRIERS identified within the literature (only including barriers identified in ≥ 3 studies)




Figure 3 notes: BelCon = Beliefs about consequences; Cap = Capability; EnvRes = Environmental context and resources; Know = Knowledge; Mot = Motivation; Opp = Opportunity; SocInf = Social influences







Figure 4. Frequency of ENABLERS identified within the literature (only including barriers identified in ≥ 3 studies).




Figure 4 notes: BelCon = Beliefs about consequences; Cap = Capability; EnvRes = Environmental context and resources; Emo = Emotion; Know = Knowledge; Mot = Motivation; Opp = Opportunity; Reinf = Reinforcement; Role = Social/professional role and identity; SocInf = Social influences







Capability-related factors associated with higher and lower COVID-19 vaccination acceptance and uptake

Knowledge is the key Capability-related domain identified within this literature (**Appendix 3**). A general lack of knowledge about COVID-19 and COVID-19 vaccines was cited as a barrier in 13 studies [13,17,24,27,32,41,51,64,69,99,105,111,127], including one qualitative study [41]. One study of rheumatology patients found a desire for additional disease-specific guidance on COVID-19 vaccination given there may be additional risks for comorbid conditions [24]. This highlights the importance of tailoring advice for specific clinical populations which may be at a higher risk of developing COVID-19 and have worse outcomes upon infection.

Opportunity-related factors associated with higher and lower COVID-19 vaccination acceptance and uptake

Evidence indicating the importance of opportunity related-factors was strong (**Appendix 4**). In particular, *Social influence* was an important factor associated with vaccination acceptance. Government and health agency mistrust was a frequently cited barrier to vaccine acceptance which is likely exacerbated by misinformation and conspiracy beliefs among the general public (k=24) [13,27,28,31,35,37,41,50,54,55,59,61,65,66,69,71–73,79,95,100,109,113,114]. The ongoing nature of the pandemic may have contributed to the erosion of trust in governing bodies. Conversely, access to and trust in reputable information sources was associated with higher vaccine acceptance (k=9) [47,49,55,56,60,80,88,115,129] and actual uptake [129]. Identifying and fostering engagement with such trusted information sources may act as a cue to action in terms of dispelling concerns to encourage vaccination, recognising that different groups are likely to trust different sources.

10 studies identified the role of HCWs in influencing the likelihood of people being vaccinated, in particular among certain patient groups (e.g., patients with a rheumatic condition) [17,20,22,46,52,73,75,105,110,111]. 2 studies reported that hesitancy was linked to individuals waiting for others being vaccinated first [24,28], although it is unclear whether this was driven by altruistic tendencies or safety concerns. 8 studies reported the importance of social norms and in particular descriptive norms (i.e., being aware of what others like you are doing) which relates to comparing the likely uptake of peers ('proximal' influences) [34,39,44,49,73,92,112,115]. This could be particular important to encourage young people to get vaccinated once able to, and also potentially among racialized groups (discussed further in **Objective 4**). 5 studies cited potential access issues in terms of time, convenience, and cost







which were associated with lower vaccination acceptance [44,75,90,92,103]. Such practical barriers could be addressed at a system and/or policy level to minimise barriers to access.

Motivation-related factors associated with higher and lower COVID-19 vaccination acceptance

The most frequently identified factor associated with individuals' willingness to receive a COVID-19 vaccine were Beliefs about consequences, specifically beliefs about vaccine safety, efficacy, and necessity (Appendix 5). Common concerns and erroneous beliefs focused on the beliefs that COVID-19 vaccine development was rushed (k=7) [13,27,35,44,66,111,112] which aligns closely with common safety (k=80) and efficacy concerns (k=14) [26,32,35,36,45,47,49,75,81,82,85,99,106,112]. Although many such concerns related to general vaccine safety, 3 studies found specific patient groups citing concerns about possible contraindications [17,20,57]. 12 studies found that vaccine hesitance was related to a lack of perceived necessity with respondents citing natural resistance/protection and feeling in good health as reasons not be get vaccinated [13,22,27,44,48,52,58,61,66,72,73,109]. Conversely, the two main beliefs driving higher acceptance were positive beliefs about the utility of vaccines (k=9) [80,82,84,98,103,105,111,115,125], along with an understanding that vaccines were necessary to help prevent risk of infection, reduce severity if infected, reduce the risk of spreading to others, and to ultimately help overcome the pandemic (k=6) [44,45,64,71,73,111]. One study found that positive beliefs about the effectiveness of COVID-19 vaccines was associated with actual vaccination uptake [47].

In line with our previous HCW-focused review (v3), Reinforcement was also a prominent Motivation-related factor associated with vaccination acceptance. 21 studies found historical influenza vaccine behaviour predicted current intentions towards COVID-19 vaccination [13,14,20,22,23,27,31,32,61,63–66,74,84,87,98,99,110,115,130]. Personal experience of COVID-19, either being severely infected themselves or having a close family member/friend die, was associated with higher and lower rates of acceptance, respectively, although these were only shown in singular studies. The Social/professional role and identity domain was less represented in this general public dataset compared with our HCW-focused review which found some differences between HCW professions/specialties. That said, 4 studies found that respondents who perceived vaccination as a personal/social responsibility/role were more likely to accept vaccination [18,44,56,85]. In line with most COVID-19 mitigation strategies (e.g., staying home where possible, face coverings, physical distancing), framing vaccination as a community role/responsibility may help increase motivation to be vaccinated.







In terms of *Emotion*-focused barriers/enablers, one study found that higher scores on COVID-19 related anxiety was related to vaccine acceptance [77] whilst another study found that depressive symptoms was associated with high vaccination acceptance [73]. One study also found that individuals who felt agitated, sad, or anxious due to the physical distancing measures on some days had lower odds of vaccine refusal than individuals who never had those feelings [66]. *Optimism* was associated with higher acceptance in one study [101]. Interestingly, an experimental study [68] found that COVID-19 vaccination preference (i.e., matching one's preferences for a particular COVID-19 vaccine) was associated with higher intention to vaccinate (captured under the *Goals* domain). Such experiments help to clarify the role of preferences in the changing landscape of approved and available vaccines.

Objective 4: Equity-related factors associated with higher and lower COVID-19 vaccination acceptance

We focused our assessment of equity-related factors on studies that assessed race and ethnicity in relation to vaccine acceptance. Overall, 25/118 studies assessed whether vaccine acceptance was associated with race and ethnicity. Of these, 24/25 studies found differences in vaccine acceptance and uptake based on racial/ethnic identity. The main findings from these studies are reported in **Table 1**. In addition to racialized groups, 4 studies were conducted with people experiencing homelessness [42], people from sexual and gender minority backgrounds [71], incarcerated/detained residents [69], and members of the New York Haredi-Orthodox Jewish Community [109].

Table 1. Key differences in vaccine acceptance/uptake among equity-seeking groups

Study authors	Vaccine acceptance/hesitancy rates among equity-seeking groups		
(Country)			
Dalal et al. (USA)	Respondents who identified as White were associated with		
	vaccination intent (ORa=2.10, 95% CI: 1.20-3.90).		
Dickerson et al. (UK)	• 43% (95% CI: 37-54%) of White British and 60% (35-81%) in		
	the least deprived areas do want a vaccine, compared to		
	13% (9-19%) of Pakistani heritage and 20% (15-26%) in the		
	most disadvantaged areas.		
Doherty et al. (USA)	Black respondents were 1.68 (95% CI: 1.16, 2.45) times		
	more likely to report vaccine hesitancy than White		
	respondents.		







Study authors (Country)	Vaccine acceptance/hesitancy rates among equity-seeking groups
Grumbach et al. (USA)	 Vaccine uptake in racialized groups vs. White respondents: Black (ORa=0.29, 95% CI: 0.20-0.43) Latinx (ORa=0.55, 95% CI: 0.43-0.71) Asian (ORa=0.57, 95% CI: 0.47-0.70)
ladarola et al. (USA)	 Multiple races (ORa=0.65, 95% CI: 0.46-0.92) Black respondents >50 years old were more likely accept a vaccine than younger respondents (OR=3.72, 95% CI: 1.73-8.00).
Nguyen II et al. (USA and UK)	 Vaccine hesitancy in racialized groups vs. White UK respondents: Black (OR=2.84, 95% CI: 2.69-2.99) South Asian (OR=1.66, 95% CI: 1.57-1.76) Middle East/East Asian (OR=1.84, 95% CI: 1.70-1.98) Multiple races/other (OR=1.48, 95% CI: (1.39-1.57) Vaccine hesitancy in racialized groups vs. White USA respondents: Black (OR=3.15, 95% CI: 2.86-3.47) Latinx (OR=1.42, 95% CI: 1.28-1.58) Asian (OR=1.34, 95% CI: 1.18-1.52) Multiple races/other (OR=2.02, 95% CI: 1.70-2.39)
Robertson et al. (UK) Savoia et al. (USA)	 Vaccine hesitancy in racialized groups vs. White British/Irish UK respondents:
Szilagy et al. (USA)	 discrimination (OR=1.21, 95% CI: 1.01-1.45). Black (vs. White) respondents were less likely to get a vaccine (38% vs. 59%; ORa=0.70, 95% CI: 0.60-0.80).
Dorman et al. (USA)	 Race/ethnicity also showed a significant effect on willingness to be vaccinated (p<0.01). Asian respondents were most likely to want to be vaccinated, followed by non- Hispanic White, Hispanic, and non-Hispanic Black respondents. All racial/ethnic groups differed significantly from one another (p<0.01).







Study authors (Country)	Vaccine acceptance/hesitancy rates among equity-seeking groups		
Stern et al. (USA)	 Willingness to receive a vaccination (among incarcerated or detained residents) was lowest among Black participants (37%) and highest among Hispanic/Latino (Hispanic) (53%) and American Indian/Alaska Native (48%) participants (p<0.01 for group). 		
Daly et al. (USA)	 Regression analyses showed statistically significant increases in intentions to vaccinate between October 2020 and February 2021 for all demographic groups examined. Over this period the largest increases in willingness to vaccinate were found among Black (16% increase, 95% CI: 10-22, p<0.01) and Hispanic participants (12% increase, 95% CI: 6-18, p<0.01). 		
Salmon et al. (USA)	 Intent to get vaccinated was substantially lower among African Americans (32%) and comparable among White non-Hispanics (55%), Hispanics (52%) and Other non- Hispanics (53%). Compared to the Intenders, the 'Wait and Lear' group (i.e., hesitant) were more likely to be African American (OR=2.51, 95% CI: 1.98-3.18). 		
Teixeira da Silva et al. (USA)	White participants (among people from sexual and gender minority) were more willing to accept a COVID-19 vaccine than Black, American Indian/Alaskan Native participants, and participants identifying with another race. Asian participants reported greater vaccine acceptance than White participants.		
Benis et al. (USA)	 A higher vaccination hesitancy was noted among minorities than among the White population (22% vs. 15%, p<0.01). 		

The studies listed in **Table 1** provide evidence to suggest that respondents from racialized communities are less likely to express vaccine acceptance than White respondents. Understanding why such racial and ethnic differences exist is critical to the success of any vaccination campaign. Assessing barriers and enablers to vaccine acceptance that racialized groups experience may provide valuable insights into factors driving observed disparities, and







suggest ways to better support specific groups based on their specific concerns and experienced barriers.

To date, 4 studies examined factors associated with vaccine acceptance among different racialized groups [28,35,37,51]. Based on USA data, the authors of these studies examined factors associated with vaccine acceptance among Black, Latinx, Asian, and White-identified respondents. 3 studies added to version 2 of this review examined determinants of vaccine acceptance among marginalized groups, namely: people experiencing homelessness [42], people from sexual and gender minority backgrounds [71], and incarcerated/detained residents [69]. Based on these data, 4 (of a possible 14) TDF domains - Knowledge (Appendix 3); Environmental context and resources, Social influences (Appendix 4), Beliefs about consequences (Appendix 5) – were identified as potential determinants of COVID-19 vaccine acceptance among equity-seeking groups.

Capability-related factors associated with higher and lower COVID-19 vaccination acceptance among equity-seeking groups

Only 1 from 4 studies presented evidence suggesting that Capability-related factors were associated with vaccine acceptance among Black, Latinx, Asian, and White-identified respondents (**Appendix 3**). Nguyen II et al. found that among those who reported lower vaccine acceptance in the US, Black and Latinx individuals cited a lack of *Knowledge* about the vaccine (51% and 51%, respectively) at a higher rate than White individuals (42%). In the UK, Black (45%) and South Asian (42%) respondents cited not knowing enough about the vaccine at a higher rate than White respondents (37%). However, these differences are based on reported frequencies only [51]. Another study found that incarcerated or detained residents reported a desire for further information about COVID-19 vaccines in order to increase vaccination acceptance [69].

Opportunity-related factors associated with higher and lower COVID-19 vaccination acceptance among equity-seeking groups

One study that sought to examine vaccine acceptance among underserved communities in the USA found that owning a mobile phone or computer was associated with lower vaccine acceptance across racialized groups [28] (**Appendix 4**). Three studies reported data suggesting that distrust in institutions was associated with lower vaccine acceptance [28,35,37]. While Doherty et al. found that lack of trust in the government predicted lower vaccine acceptance across all groups surveyed, ladarola found that Black respondents reported more distrust in government at a significantly higher rate (96%) than other groups (80% Latinx, 78% White, 0%







Asian; p<0.01). Iadarola et al. also found that Black (96%) and Latinx (91%) participants were more concerned about being used as an experiment than other groups (76% White, 67% Asian; p<0.05). Grumach et al. also found evidence of greater mistrust among Black respondents who were three times more likely to express distrust in companies making vaccines than White respondents (ORa=3.08, 95% CI: 2.00-4.73). Similar findings were found among samples of incarcerated/detained residents [69] and people from sexual and gender minority backgrounds [71]. Taken together, these studies suggest that distrust plays an important role in determining how willing different equity-seeking groups are to COVID-19 vaccination and that some groups may experience greater trust-related hesitancy. One study [28] found that wanting others to receive the vaccine first was marginally predictive of lower vaccine acceptance (OR=1.44, 95% CI: 0.98-2.11). The authors note between 24-26% of participants, independent of their vaccine hesitancy or acceptance wanted others to get the vaccine first (p= 0.77). It is unclear what may motivate this preference. Another study found that altruistic motivation was associated with higher vaccination acceptance in a sample of people from sexual and gender minority backgrounds [71].

Motivation-related factors associated with higher and lower COVID-19 vaccination acceptance among equity-seeking groups

Three studies [28,35,51] reported *Beliefs about consequences* as a factor associated with vaccine acceptance among racialized groups (**Appendix 5**). Two studies found that safety concerns were associated with lower vaccine acceptance. Doherty et al. found that participants with safety concerns were 4 times more likely express vaccine hesitancy (OR=4.28, 95% CI: 3.06-5.97) across all groups [28]. However, they also found that Latinx respondents (32%) were less likely to cite safety concerns as a reason for delaying or not wishing to get the COVID-19 vaccine than were White (54%) and Black (53%) respondents. Another study reporting frequencies of reasons for refusing a vaccine found that concerns over safety was the most common reason cited across all participants [51]. Black respondents in the USA reported higher rates of safety concerns based on reported frequencies. Two studies found that concerns over vaccine efficacy were associated with lower vaccine acceptance [28,35]. While Doherty et al. found that efficacy concerns predicted lower vaccine acceptance across all groups, Grumbach et al. found that Black, Latinx, and Asian respondents were about twice as likely to express efficacy concerns than were White respondents. Finally, one study found that Black, Latinx and Asian respondents were more likely to express concerns over a rushed approval process [35].







Discussion

Key implications

This report details version 3 of our LBSES investigating factors affecting COVID-19 vaccination acceptance and uptake among the general public. A total of 118 studies (including 52 studies added for version 3 of this review), with 11 conducted in Canada, were identified up to May 24th, 2021.

Across 9 of 14 domains from the Theoretical Domains Framework, we have identified 10 BARRIERS (Figure 3) and 11 ENABLERS (Figure 4) (identified in ≥ 3 studies) which may have implications for COVID-19 vaccine interventions. Addressing these key and recurring barriers and enablers should involve multiple approaches at multiple levels; therefore, a one-size-fits-all approach is unlikely to address the range of barriers and enablers expressed by the general public. In **Table 2**, we provide a non-exhaustive list of recommendations based on general principles from behaviour science which may help form the basis for behaviour-focused interventions to increase COVID-19 vaccination in the general public. These recommendations are supplemented with intervention suggestions from the broader vaccination literature [12].

Based on these data, there is considerable evidence for Capability- and Motivation-related factors associated with COVID-19 vaccination acceptance and uptake which may help influence vaccination messaging, campaigns, and program design. However, there is also a need to support motivated individuals who may nevertheless experience barriers to access that may be outside their control (Opportunity-related factors). For example, we have identified 4 Opportunity-related barriers to COVID-19 vaccination, namely: mistrust in government/public health response to COVID-19; negative influence of close contacts and high-profile persons; direct advice from medical professionals about vaccination; and access issues in terms of time, convenience, and cost. For many of these barriers, system/policy-level solutions are needed to increase vaccine Opportunity for the general public and those serving equity-seeking groups in particular.







Table 2. Key BARRIERS (*n*=10) and ENABLERS (*n*=11) to COVID-19 vaccination acceptance and uptake in the general public along with recommendations based on behavioural science principles and the broader vaccination literature [12]

Domain	Barriers/Enabler	Recommendations based on	Interventions based
		behavioural science principles	on broader
			vaccination
			literature [12] [likely
			impact]
BARRIERS			
Capability:	Gaps in knowledge	Address knowledge gaps	Nothing directly
Knowledge	about COVID-19	through educational	linked to this barrier
	vaccines (k=13)	campaigns tailored to	
		different groups, disseminated	
		from trusted sources that	
		likely differ for different	
		groups; one-size-fits-all	
		knowledge dissemination	
		unlikely to reach those who	
		may benefit most.	
Opportunity:	Mistrust in	Help rebuild trust through	Nothing directly
Social Influences	government/public	transparent communication	linked to this barrier
	health response to	about COVID-19 vaccination	
	COVID-19 (<i>k</i> =24)	and community engagement	
		and cultural understanding,	
		especially for individuals from	
		equity seeking groups.	
		Acknowledging past harms	
		against racialized groups that	
		validates feelings of mistrust	
		and aims to rebuild trust by	
		addressing inequities.	
	Negative influence of	Recognize the importance of	Descriptive norm
	close contacts and	people's social circles and	messages [modest]
	high-profile persons	prominent public figures and	Social network
	(<i>k</i> =5)	the influence they can have on	interventions that
		intention and behaviour. Work	build on contagion







		within trusted circles and	[modest]
		engage meaningfully.	
	Direct advice from	Ensure that guidance for	Healthcare provider
	medical professionals	certain groups (e.g.,	recommendations
	about vaccination (k=4)	rheumatologic diseases,	[substantial]
		people who are pregnant) is	Presumptive
		clear and transparent. It might	healthcare provider
		be important for medical	recommendations
		professionals with whom	[substantial]
		equity-seeking groups can	
		identify with to provide such	
		advice/support.	
Opportunity:	Access issues in terms	Ensure that COVID-19	On-site vaccination
Environmental context	of time, convenience,	vaccination is as simple as	[substantial]
and resources	and cost (k=5)	possible in terms of time,	
		convenience, and cost (note,	
		perceived 'simplicity' may	
		differ between individuals).	
Motivation:	Concerns about COVID-	Reassure and be transparent	Nothing directly
Beliefs about	19 vaccine safety	about vaccine risks using	linked to this barrier
consequences	(<i>k</i> =38)	trusted sources and	
		communication modalities	
		that leverage risk	
		communication tools and	
		approaches that go beyond	
		numerical risk and benefit	
		data. This information should	
		be communicated in plain	
		language (and in multiple	
		languages) and in multiple	
		formats to maximise reach.	
	Concerns about COVID-	Reiterate how it was possible	Nothing directly
	19 vaccine	to develop and approve	linked to this barrier
	development (<i>k</i> =7)	COVID-19 vaccines relatively	
		rapidly while maintaining all	
		the same checks and balances	







		1
among patients, e.g.,	communication modalities.	
, ,		
		linked to this barrier
	·	Nothing directly
		Night and the st
(k=12)	•	
•	• =	linked to this barrier
		Nothing directly
	-	
	·	
	•	
	-	
	of importance including	
	numeracy. Clarify benefits	
	that do not only rely on	
	communication approaches	
	evidenced benefit	
	Communicate efficacy using	
	updated as evidence accrues.	
	clear and continue to be	
(<i>k</i> =14)	and its variants of concern are	
19 vaccine efficacy	of vaccines against COVID-19	linked to this barrier
Concerns about COVID-	Ensure that the effectiveness	Nothing directly
	formats considerations apply).	
	multiple language, multiple	
	above - same plain language,	
	development process (as	
	Concerns about COVID-19 vaccine necessity (k=12) Concerns about adverse reactions (specifically contraindications	above - same plain language, multiple formats considerations apply). Concerns about COVID- 19 vaccine efficacy (k=14) Ensure that the effectiveness of vaccines against COVID-19 and its variants of concern are clear and continue to be updated as evidence accrues. Communicate efficacy using evidenced benefit communication approaches that do not only rely on numeracy. Clarify benefits where known across outcomes of importance including infection, severity, side effect, hospitalization and/or death (as above - same plain language, multiple formats considerations apply). Concerns about COVID- 19 vaccine necessity (k=12) Reassure the need for vaccines, emphasizing the protection of one's self and others to build towards community immunity. Concerns about adverse reactions (specifically contraindications trusted sources and







		for patients, medical professionals, and others alike.	
ENABLERS			
Opportunity: Environmental context and resources	Having access to and trust in reputable information sources (k=9)	Identify and make available reputable and trustworthy sources of information sources more accessible to help counter misinformation about	Nothing directly linked to this enabler
		COVID-19 vaccines.	
Opportunity: Social influences	Advice from medical professionals encouraging vaccination (<i>k</i> =6)	Continue to leverage the medical community to champion vaccination and ensure availability and support for them to address the needs of their patients. It might be important for medical professionals with whom equity-seeking groups can identify with to provide such advice/support.	Healthcare provider recommendations [substantial] Presumptive healthcare provider recommendations [substantial]
Motivation:	Concerns about	Reiterate the seriousness of	Nothing directly
Beliefs about consequences	becoming infected with COVID-19 (<i>k</i> =16)	being infected by COVID-19 and potential longer-term consequences (e.g., 'long-covid'), although care must be taken among those that experiencing high/persistent stress/anxiety which may have implications for mental health and wellbeing.	linked to this enabler
	Positive attitudes/high perceived benefit of COVID-19 vaccines (k=9)	Emphasize the benefit of vaccines, both from a medical standpoint (e.g., drawing on the benefit of previous vaccines for infectious diseases (e.g., polio)) and	Education campaigns that increase confidence







		personal/social standpoint (e.g., returning to 'normal', seeing family without restrictions).	
	Belief that COVID-19 vaccines will help protect family (<i>k</i> =6)	Leverage the prosocial nature of vaccination which will help protect others.	Nothing directly linked to this enabler
Motivation: Social/professional role and identity	Certain political preferences/identitie s (<i>k</i> =5)	Aim to prevent Canada's ongoing COVID-19 vaccination program being used as a political tool which may alienate certain individuals/groups.	Nothing directly linked to this enabler
	When getting vaccinated seen as a professional or collective/prosocial responsibility (k=4)	Instill the notion of vaccination as a professional and social responsibility, normalize such behaviour.	Vaccination requirements [substantial]
Motivation: Emotion	Fear about being infected with COVID-19 and its impact (k=3)	Whilst being careful not to stoke fear, reiterate the seriousness of COVID-19 and its societal consequences (e.g., lockdowns). However, be mindful that there are some who can't get vaccinated or who are susceptible to infection that may experience high/persistent fear/anxiety about catching COVID-19, who may require additional supports.	Nothing directly linked to this enabler
	Psychological distress symptoms (stress, depression, anxiety) may favour COVID-19 vaccine acceptance	Acknowledge that some psychological disorder-thinking (stress, depression, anxiety) may influence personal protective	Nothing directly linked to this enabler







	(<i>k</i> =7)	behaviours such as vaccination (although there must be caution with this). Focus on reassuring people of the benefits of vaccination and benefits of engaging in other protective measures.	
Motivation: Reinforcement	Historical seasonal influenza vaccination (k=21)	Leverage successful interventions to increase seasonal influenza vaccination which may be applicable to COVID-19.	Incentives [substantial]
	Members of families/close social network having being infected with COVID-19 (<i>k</i> =3)	Emphasis messaging around vaccination protecting others, potentially drawing upon the personal stories of others.	Nothing directly linked to this enabler







Future directions for research in this area

Although some behavioural domains did not yet emerge as factors associated with COVID-19 vaccine acceptance in the general public, there may be opportunity for considering a greater breath of possible barriers and enablers which could be guided by frameworks such as the TDF. Domains from the TDF that did not emerge to date as factors associated with COVID-19 vaccine acceptance among the general public include: Skills; Behavioural regulation; Memory/attention; and Beliefs about capabilities. It may be that other methods of data collection (e.g., qualitative methods) may be better suited to elucidate the range of potential barriers and enablers to vaccination acceptance and uptake. To date, we have only identified 1 qualitative study exploring drivers of COVID-19 vaccination acceptance and uptake in the general public [41], therefore, further qualitative research is needed.

Now that COVID-19 vaccines continue to be steadily rolled out, there is a clear need for more Canadian research to help understand the factors associated with vaccination acceptance and uptake in the general public and in particular those from equity-seeking groups to help better inform how best to support greater vaccination. Assessing barriers and enablers to vaccine acceptance that racialized groups experience may provide valuable insights into factors driving observed disparities, especially when considered alongside the COM-B related barriers/enablers that each racialized group experience to better support each group.

There was some evidence indicating that knowledge was associated with vaccination acceptance among the general public. Knowledge, or lack thereof, is often seen as a key barrier to behaviour change which is reflected in the abundance of strategies and programs that focus solely on education and providing information. Whilst knowledge is undoubtedly important, it is usually insufficient as a stand-alone strategy, therefore, additional evidence-based, modifiable barriers must also be considered (cf. recent brief from the Ontario COVID-19 Science Advisory Table [131]). This point is further highlighted by the fact that Opportunity factors — which are deemed to lie outside the individual — have been shown to be important determinants of vaccination acceptance/uptake. As such, key infrastructure, supports, and resources need to be in place to support individuals to enact their intentions now that vaccines continue to be steadily rolled out across Canada.

Future directions for this LBSES

Given that COVID-19 vaccines have been rolling out since Dec 2020, we expect to see more research to investigate drivers of actual uptake, in addition to vaccination acceptance. From a







behavioural science perspective, this will provide an opportunity to assess whether the same factors associated with vaccine acceptance (intention) are also associated with actual vaccination uptake (behaviour) and whether vaccine intention predicts behaviour. Evidence from other behavioural literatures suggests a gap between intention and action and measures for bridging this gap offer opportunities for ensuring individuals who do develop strong intentions and acceptance for the COVID-19 vaccine translate their strong intention into vaccination [131]. From an equity-seeking group perspective, future versions of this LBSES will continue to assess what is driving observed differences in vaccination acceptance and uptake. In particular, we will attempt to identify additional Canadian studies from the grey literature, as per the recent rapid review from National Collaborating Centre for Methods and Tools. Moreover, we will connect with Canadian researchers who are spearheading the important work of nuancing observed differences to vaccine acceptance to better account for how the lived experiences of equity-seeking groups may impact barriers and enablers to vaccine acceptance.

Future planned LBSES

- Identify which strategies/techniques are effective in supporting COVID-19 vaccination acceptance and uptake in the general public.
- Identify **alignment and gaps** between experienced barriers/enablers and currently tested strategies, and any lack of data for certain equity-seeking groups.
- Summarize **actionable implications** in general and in particular among those serving equity-seeking groups.

Funding statement

To help health- and social-system leaders as they respond to unprecedented challenges related to the COVID-19 pandemic, the Ottawa Hospital Research Institute is preparing living evidence profiles like this one. This living review is funded by the Public Health Agency of Canada. The opinions, results, and conclusions are those of the Ottawa Hospital Research Institute and are independent of the funder. No endorsement by the Public Health Agency of Canada is intended or should be inferred.

Contact

Presseau, J. Clinical Epidemiology Program, Ottawa Hospital Research Institute, The Ottawa Hospital - General Campus, 501 Smyth Road, Room L1202, Box 711, Ottawa, ON, K1H 8L6, Canada. Email: jpresseau@ohri.ca







Citation

Crawshaw, J., Konnyu, K., Castillo, G., van Allen, Z., Grimshaw, JM., Presseau, J. Factors affecting COVID-19 vaccination acceptance and uptake among the general public: a living behavioural science evidence synthesis (v3, Jun 30th, 2021). Ottawa: Ottawa Hospital Research Institute, Jun 30, 2021.

References

- Schumacher S, Salmanton-García J, Cornely OA, et al. Increasing influenza vaccination coverage in healthcare workers: a review on campaign strategies and their effect. *Infection* 2021;**49**:387–99. doi:10.1007/s15010-020-01555-9
- Vasileiou E, Simpson CR, Shi T, et al. Interim findings from first-dose mass COVID-19 vaccination rollout and COVID-19 hospital admissions in Scotland: a national prospective cohort study. The Lancet 2021;397:1646–57. doi:10.1016/S0140-6736(21)00677-2
- 3 Michie S, Stralen MM, West R. The behaviour change wheel: a new method for characterising and designing behaviour change interventions. *Implement Sci* 2011;**6**.
- 4 Atkins L, Francis J, Islam R, et al. A guide to using the Theoretical Domains Framework of behaviour change to investigate implementation problems. *Implement Sci* 2017;**12**. doi:10.1186/s13012-017-0605-9
- 5 Cane J, O'Connor D, Michie S. Validation of the theoretical domains framework for use in behaviour change and implementation research. *Implement Sci* 2012;**7**.
- 6 Michie S, Johnston M, Abraham C, et al. Making psychological theory useful for implementing evidence based practice: a consensus approach. BMJ Qual Saf 2005;14.
- 7 The British Psychological Society Covid-19 Behavioural Science and Disease Prevention Taskforce. Optimising vaccination uptake for Covid-19. British Psychological Society 2021.
- Public Health Agency of Canada. Evergreen Rapid Review on COVID-19 Vaccine Knowledge, Attitudes, and Behaviors Update 7. Public Health Agency of Canada 2021.
- 9 McMaster Health Forum. COVID-19 Living Evidence Profile #1: What is known about anticipated COVID-19 vaccine roll-out elements? McMaster Health Forum 2021.
- 10 Konnyu K, Benitez G. What are the barriers and facilitators to individuals' willingness to be vaccinated for COVID-19? Center for Evidence Synthesis in Health, Department of Health, Policy and Practice, Brown University 2020. https://www.brown.edu/public-health/cesh/news/2021/01/what-are-barriers-and-facilitators-individuals%E2%80%99-willingness-be-vaccinated-covid-19







- 11 Konnyu K, Benitez G. Understanding and promoting COVID-19 vaccine uptake among marginalized communities in RI. Center for Evidence Synthesis in Health, Department of Health, Policy and Practice, Brown University 2021. https://www.brown.edu/public-health/cesh/news/2021/05/understanding-and-promoting-covid-19-vaccine-uptake-among-marginalized-communities-ri
- 12 Brewer NT, Chapman GB, Rothman AJ, et al. Increasing Vaccination: Putting Psychological Science Into Action. *Psychol Sci Public Interest* 2017;**18**:149–207. doi:10.1177/1529100618760521
- 13 Alabdulla M, Reagu SM, Al-Khal A, *et al.* COVID-19 vaccine hesitancy and attitudes in Qatar: A national cross-sectional survey of a migrant-majority population. *Influenza Other Respir Viruses* 2021;**15**:361–70. doi:10.1111/irv.12847
- 14 Alfageeh EI, Alshareef N, Angawi K, *et al.* Acceptability of a COVID-19 Vaccine among the Saudi Population. *Vaccines* 2021;**9**. doi:10.3390/vaccines9030226
- 15 Arce JSS, Warren SS, Meriggi NF, et al. COVID-19 Vaccine Acceptance and Hesitancy in Low and Middle Income Countries, and Implications for Messaging. medRxiv 2021;:2021.03.11.21253419. doi:10.1101/2021.03.11.21253419
- 16 Argote P, Barham E, Daly S, et al. Messaging interventions that increase COVID-19 vaccine willingness in Latin America. Available SSRN 3812023 2021.
- 17 Beesley RP, Costello W, Angevare SP, et al. Survey of adult and paediatric rheumatology patients suggests information about COVID-19 vaccination will aid uptake. Rheumatol Oxf Engl 2021.
- 18 Benis A, Seidmann A, Ashkenazi S. Reasons for Taking the COVID-19 Vaccine by US Social Media Users. *Vaccines* 2021;**9**. doi:10.3390/vaccines9040315
- 19 Biasio LR, Bonaccorsi G, Lorini C, et al. Italian Adults' Likelihood of Getting COVID-19 Vaccine: A Second Online Survey. *Vaccines* 2021;9. doi:10.3390/vaccines9030268
- 20 Campochiaro C, Trignani G, Tomelleri A, *et al.* Potential acceptance of COVID-19 vaccine in rheumatological patients: a monocentric comparative survey. *Ann Rheum Dis* 2021;:annrheumdis-2020-219811. doi:10.1136/annrheumdis-2020-219811
- 21 Carbone L, Mappa I, Sirico A, *et al.* Pregnant women perspectives on SARS-COV-2 vaccine: Condensation: Most of Italian pregnant women would not agree to get the SARS-COV-2 vaccine, irrespective of having features of high risk themselves, or being high-risk pregnancies. *Am J Obstet Gynecol MFM* Published Online First: 2021. doi:10.1016/j.ajogmf.2021.100352
- 22 Cordina M, Lauri MA, Lauri. J. Attitudes towards COVID-19 vaccination, vaccine hesitancy and intention to take the vaccine. *Pharm Pract Granada* 2021;**19**.
- 23 Craig BM. United States COVID-19 Vaccination Preferences (CVP): 2020 Hindsight. *Patient Patient-Centered Outcomes Res* Published Online First: 30 March 2021. doi:10.1007/s40271-021-00508-0







- 24 Dalal RS, McClure E, Marcus J, et al. COVID-19 Vaccination Intent and Perceptions Among Patients With Inflammatory Bowel Diseases. Clin Gastroenterol Hepatol Published Online First: 2021. doi:10.1016/j.cgh.2021.02.004
- 25 Daly M, Jones A, Robinson E. An increase in willingness to vaccinate against COVID-19 in the US between October 2020 and February 2021: longitudinal evidence from the Understanding America Study. *medRxiv* 2021;:2021.03.04.21252918. doi:10.1101/2021.03.04.21252918
- 26 Di Giuseppe G, Pelullo CP, Della Polla G, et al. Exploring the Willingness to Accept SARS-CoV-2 Vaccine in a University Population in Southern Italy, September to November 2020. *Vaccines* 2021;**9**. doi:10.3390/vaccines9030275
- 27 Dickerson J, Lockyer B, Moss R, *et al.* COVID-19 vaccine hesitancy in an ethnically diverse community: descriptive findings from the Born in Bradford study [version 1; peer review: awaiting peer review]. *Wellcome Open Res* 2021;**6**. doi:10.12688/wellcomeopenres.16576.1
- 28 Doherty IA, Pilkington W, Brown L, et al. COVID-19 Vaccine Hesitancy in Underserved Communities of North Carolina. medRxiv 2021;:2021.02.21.21252163. doi:10.1101/2021.02.21.21252163
- 29 Dorman C, Perera A, Condon C, et al. Factors Associated with Willingness to be Vaccinated Against COVID-19 in a Large Convenience Sample. *J Community Health* Published Online First: 9 April 2021. doi:10.1007/s10900-021-00987-0
- 30 Eguia H, Vinciarelli F, Bosque-Prous M, *et al.* Spain's Hesitation at the Gates of a COVID-19 Vaccine. *Vaccines* 2021;**9**. doi:10.3390/vaccines9020170
- 31 El-Elimat T, AbuAlSamen MM, Almomani BA, et al. Acceptance and attitudes toward COVID-19 vaccines: A cross-sectional study from Jordan. PLOS ONE 2021;16:e0250555. doi:10.1371/journal.pone.0250555
- 32 Gan L, Chen Y, Hu P, *et al.* Willingness to Receive SARS-CoV-2 Vaccination and Associated Factors among Chinese Adults: A Cross Sectional Survey. *Int J Environ Res Public Health* 2021;**18**. doi:10.3390/ijerph18041993
- 33 Gautam A, Dhara B, Mukherjee D, et al. A Digital Survey on the Acceptance and Affordability of COVID 19 Vaccine among the People of West Bengal, India- A Survey Based Study. medRxiv 2020;:2020.11.13.20229534. doi:10.1101/2020.11.13.20229534
- 34 Graupensperger S, Abdallah DA, Lee CM. Social norms and vaccine uptake: College students' COVID vaccination intentions, attitudes, and estimated peer norms and comparisons with influenza vaccine. *Vaccine* 2021;39:2060–7. doi:10.1016/j.vaccine.2021.03.018
- 35 Grumbach K, Judson T, Desai M, et al. Association of Race/Ethnicity With Likeliness of COVID-19 Vaccine Uptake Among Health Workers and the General Population in the San Francisco Bay Area. JAMA Intern Med Published Online First: 30 March 2021. doi:10.1001/jamainternmed.2021.1445







- 36 Han K, Francis MR, Zhang R, et al. Confidence, Acceptance and Willingness to Pay for the COVID-19 Vaccine Among Migrants in Shanghai, China: A Cross-Sectional Study. *China Cross-Sect Study* Published Online First: 2021.http://dx.doi.org/10.2139/ssrn.3774179
- 37 Iadarola S, Siegel JF, Gao Q, *et al.* COVID-19 Vaccine Perceptions in New York State's Intellectual and Developmental Disabilities Community. *medRxiv* 2021;:2021.03.19.21253425. doi:10.1101/2021.03.19.21253425
- 38 Iheanacho C, Enechukwu OH, Aguyi-Ikeany CN. Risk Perception of SARS-CoV-2 Infection and Acceptability of a COVID-19 Vaccine in Nigeria. 2021.
- 39 Kaplan RM, Milstein A. Influence of a COVID-19 vaccine's effectiveness and safety profile on vaccination acceptance. *Proc Natl Acad Sci* 2021;**118**:e2021726118. doi:10.1073/pnas.2021726118
- 40 Khaled SM, Petcu C, Bader L, et al. Prevalence and Potential Determinants of COVID-19 Vaccine Hesitancy and Resistance in Qatar: Results from a Nationally Representative Survey of Qatari Nationals and Migrants between December 2020 and January 2021. 2021.
- 41 Knights F, Carter J, Deal A, et al. Impact of COVID-19 on Migrants' Access to Primary Care and Implications for Vaccine Roll Out: A National Qualitative Study. Br J Gen Pract 2021;:BJGP.2021.0028. doi:10.3399/BJGP.2021.0028
- 42 Kuhn R, Henwood B, Lawton A, et al. COVID-19 vaccine access and attitudes among people experiencing homelessness from pilot mobile phone survey in Los Angeles, CA. medRxiv 2021;:2021.03.23.21254146. doi:10.1101/2021.03.23.21254146
- 43 Kukreti S, Lu M-Y, Lin Y-H, et al. Willingness of Taiwan's Healthcare Workers and Outpatients to Vaccinate against COVID-19 during a Period without Community Outbreaks. *Vaccines* 2021;**9**. doi:10.3390/vaccines9030246
- 44 Lunsky Y, Kithulegoda N, Thai K, et al. Beliefs regarding COVID-19 vaccines among Canadian workers in the intellectual disability sector prior to vaccine implementation. J Intellect Disabil Res 2021;**n/a**. doi:10.1111/jir.12838
- 45 Machida M, Nakamura I, Kojima T, *et al.* Acceptance of a COVID-19 Vaccine in Japan during the COVID-19 Pandemic. *Vaccines* 2021;**9**. doi:10.3390/vaccines9030210
- 46 Malesza M, Bozym M. Factors influencing COVID-19 vaccination uptake in an elderly sample in Poland. *medRxiv* 2021;:2021.03.21.21254047. doi:10.1101/2021.03.21.21254047
- 47 Malesza M, Wittmann E. Acceptance and Intake of COVID-19 Vaccines among Older Germans. *J Clin Med* 2021;**10**. doi:10.3390/jcm10071388
- 48 Mappa I, Luviso M, Distefano FA, et al. Women perception of SARS-CoV-2 vaccination during pregnancy and subsequent maternal anxiety: a prospective observational study. *J Matern Fetal Neonatal Med* 2021;:1–4. doi:10.1080/14767058.2021.1910672







- 49 Mo PK, Luo S, Wang S, *et al.* Intention to Receive the COVID-19 Vaccination in China: Application of the Diffusion of Innovations Theory and the Moderating Role of Openness to Experience. *Vaccines* 2021;**9**. doi:10.3390/vaccines9020129
- 50 Nguyen I KH, Srivastav A, Razzaghi H, et al. COVID-19 vaccination intent, perceptions, and reasons for not vaccinating among groups prioritized for early vaccination United States, September and December 2020. Am J Transplant 2021;21:1650–6. doi:10.1111/ajt.16560
- 51 Nguyen II LH, Joshi AD, Drew DA, *et al.* Racial and ethnic differences in COVID-19 vaccine hesitancy and uptake. *medRxiv* 2021;:2021.02.25.21252402. doi:10.1101/2021.02.25.21252402
- 52 Nikolovski J, Koldijk M, Weverling GJ, et al. Factors indicating intention to vaccinate with a COVID-19 vaccine among older U.S. Adults. medRxiv 2021;:2021.01.10.20248831. doi:10.1101/2021.01.10.20248831
- Park VT, Dougan M, Meyer O, et al. Differences in COVID-19 Vaccine Concerns Among Asian Americans and Pacific Islanders: The COMPASS Survey. *J Racial Ethn Health Disparities* Published Online First: 14 April 2021. doi:10.1007/s40615-021-01037-0
- 54 Petravić L, Arh R, Gabrovec T, *et al.* Factors Affecting Attitudes towards COVID-19 Vaccination: An Online Survey in Slovenia. *Vaccines* 2021;**9**. doi:10.3390/vaccines9030247
- Piltch-Loeb R, Savoia E, Goldberg B, et al. Examining the effect of information channel on COVID-19 vaccine acceptance. medRxiv 2021;:2021.01.18.21250049. doi:10.1101/2021.01.18.21250049
- 56 Radic A, Koo B, Gil-Cordero E, et al. Intention to Take COVID-19 Vaccine as a Precondition for International Travel: Application of Extended Norm-Activation Model. *Int J Environ Res Public Health* 2021;**18**. doi:10.3390/ijerph18063104
- 57 Ricotta EE, Kwan JL, Smith BA, et al. Chronic diseases: Perceptions about Covid-19 risk and vaccination. medRxiv 2021;:2021.03.17.21253760. doi:10.1101/2021.03.17.21253760
- 58 Robertson E, Reeve KS, Niedzwiedz CL, et al. Predictors of COVID-19 vaccine hesitancy in the UK household longitudinal study. *Brain Behav Immun* 2021;**94**:41–50. doi:10.1016/j.bbi.2021.03.008
- 59 Sallam M, Dababseh D, Eid H, et al. High Rates of COVID-19 Vaccine Hesitancy and Its Association with Conspiracy Beliefs: A Study in Jordan and Kuwait among Other Arab Countries. *Vaccines* 2021;**9**. doi:10.3390/vaccines9010042
- 60 Sallam M, Dababseh D, Eid H, et al. Low COVID-19 Vaccine Acceptance Is Correlated with Conspiracy Beliefs among University Students in Jordan. *Int J Environ Res Public Health* 2021;**18**. doi:10.3390/ijerph18052407
- 61 Salmon DA, Dudley MZ, Brewer J, et al. COVID-19 vaccination attitudes, values and intentions among United States adults prior to emergency use authorization. *Vaccine* 2021;**39**:2698–711. doi:10.1016/j.vaccine.2021.03.034







- 62 Samarasekera U. Feelings towards COVID-19 vaccination in Africa. *Lancet Infect Dis* 2021;**21**:324–324. doi:10.1016/S1473-3099(21)00082-7
- 63 Savoia E, Piltch-Loeb R, Goldberg B, et al. Predictors of COVID-19 Vaccine Hesitancy: Sociodemographics, Co-Morbidity and Past Experience of Racial Discrimination. medRxiv 2021;:2021.01.12.21249152. doi:10.1101/2021.01.12.21249152
- 64 Serrazina F, Sobral Pinho A, Cabral G, et al. Willingness to be vaccinated against COVID-19: An exploratory online survey in a Portuguese cohort of multiple sclerosis patients. *Mult Scler Relat Disord* 2021;**51**:102880. doi:10.1016/j.msard.2021.102880
- 65 Skjefte M, Ngirbabul M, Akeju O, *et al.* COVID-19 vaccine acceptance among pregnant women and mothers of young children: results of a survey in 16 countries. *Eur J Epidemiol* 2021;**36**:197–211. doi:10.1007/s10654-021-00728-6
- Soares P, Rocha JV, Moniz M, et al. Factors Associated with COVID-19 Vaccine Hesitancy. *Vaccines* 2021;**9**. doi:10.3390/vaccines9030300
- 67 Sotiriou E, Bakirtzi K, Papadimitriou I, et al. COVID-19 vaccination intention among patients with psoriasis compared with immunosuppressed patients with other skin diseases and factors influencing their decision. Br J Dermatol 2021;n/a. doi:10.1111/bjd.19882
- 68 Sprengholz P, Eitze S, Korn L, *et al.* The power of choice: Experimental evidence that freedom to choose a vaccine against COVID-19 improves willingness to be vaccinated. *Eur J Intern Med* 2021;**87**:106–8. doi:10.1016/j.ejim.2021.03.015
- 69 Stern MF, Piasecki AM, Strick LB, et al. Willingness to Receive a COVID-19 Vaccination Among Incarcerated or Detained Persons in Correctional and Detention Facilities Four States, September-December 2020. MMWR Morb Mortal Wkly Rep 2021;70:473–7. doi:10.15585/mmwr.mm7013a3
- 70 Szilagyi PG, Thomas K, Shah MD, *et al.* National Trends in the US Public's Likelihood of Getting a COVID-19 Vaccine—April 1 to December 8, 2020. *JAMA* 2021;**325**:396–8. doi:10.1001/jama.2020.26419
- 71 Teixeira da Silva D, Biello K, Lin WY, et al. COVID-19 Vaccine Acceptance among an Online Sample of Sexual and Gender Minority Men and Transgender Women. *Vaccines* 2021;**9**. doi:10.3390/vaccines9030204
- 72 Tran VD, Pak TV, Gribkova EI, et al. Determinants of COVID-19 vaccine acceptance in a high infection-rate country: a cross-sectional study in Russia. *Pharm Pract Granada* 2021;**19**.
- 73 Urrunaga-Pastor D, Bendezu-Quispe G, Herrera-Añazco P, et al. Cross-sectional analysis of COVID-19 vaccine intention, perceptions and hesitancy across Latin America and the Caribbean. *Travel Med Infect Dis* 2021;**41**:102059. doi:10.1016/j.tmaid.2021.102059
- 74 Vallée A, Fourn E, Majerholc C, et al. COVID-19 Vaccine Hesitancy among French People Living with HIV. *Vaccines* 2021;**9**. doi:10.3390/vaccines9040302







- 75 Wang J, Lu X, Lai X, et al. The Changing Acceptance of COVID-19 Vaccination in Different Epidemic Phases in China: A Longitudinal Study. *Vaccines* 2021;**9**. doi:10.3390/vaccines9030191
- 76 Wouters OJ, Shadlen KC, Salcher-Konrad M, et al. Challenges in ensuring global access to COVID-19 vaccines: production, affordability, allocation, and deployment. *The Lancet* 2021;**397**:1023–34. doi:10.1016/S0140-6736(21)00306-8
- 77 Yurttas B, Poyraz BC, Sut N, *et al*. Willingness to get the COVID-19 vaccine among patients with rheumatic diseases, healthcare workers and general population in Turkey: a web-based survey. *Rheumatol Int* 2021;**41**:1105–14. doi:10.1007/s00296-021-04841-3
- 78 Zampetakis LA, Melas C. The health belief model predicts vaccination intentions against COVID-19: A survey experiment approach. *Appl Psychol Health Well-Being* 2021;**n/a**. doi:10.1111/aphw.12262
- 79 Abedin M, Islam MA, Rahman FN, et al. Willingness to vaccinate against COVID-19 among Bangladeshi adults: Understanding the strategies to optimize vaccination coverage. PLOS ONE 2021;**16**:e0250495. doi:10.1371/journal.pone.0250495
- 80 Allington D, McAndrew S, Moxham-Hall V, et al. Coronavirus conspiracy suspicions, general vaccine attitudes, trust and coronavirus information source as predictors of vaccine hesitancy among UK residents during the COVID-19 pandemic. *Psychol Med* 2021;:1–12. doi:10.1017/S0033291721001434
- 81 Almaghaslah D, Alsayari A, Kandasamy G, et al. COVID-19 Vaccine Hesitancy among Young Adults in Saudi Arabia: A Cross-Sectional Web-Based Study. *Vaccines* 2021;**9**. doi:10.3390/vaccines9040330
- 82 Bai W, Cai H, Liu S, *et al.* Attitudes toward COVID-19 vaccines in Chinese college students. *Int J Biol Sci* 2021;**17**:1469–75. doi:10.7150/ijbs.58835
- 83 Bendau A, Plag J, Petzold MB, *et al.* COVID-19 vaccine hesitancy and related fears and anxiety. *Int Immunopharmacol* 2021;**97**:107724. doi:10.1016/j.intimp.2021.107724
- 84 Brodziak A, Sigorski D, Osmola M, et al. Attitudes of Patients with Cancer towards Vaccinations— Results of Online Survey with Special Focus on the Vaccination against COVID-19. Vaccines 2021;9. doi:10.3390/vaccines9050411
- 85 Caron B, Neuville E, Peyrin-Biroulet L. Inflammatory Bowel Disease and COVID-19 Vaccination: A Patients' Survey. *Dig Dis Sci* Published Online First: 12 May 2021. doi:10.1007/s10620-021-07040-z
- 86 Felten R, Dubois M, Ugarte-Gil MF, et al. Cluster analysis reveals three main patterns of beliefs and intention with respect to SARS-CoV-2 vaccination in patients with autoimmune and inflammatory diseases. Rheumatology Published Online First: 13 May 2021. doi:10.1093/rheumatology/keab432
- 87 Garcia P, Montez-Rath ME, Moore H, et al. SARS-CoV-2 Vaccine Acceptability in Patients on Hemodialysis: A Nationwide Survey. *J Am Soc Nephrol* 2021;:ASN.2021010104. doi:10.1681/ASN.2021010104







- 88 Gehrau V, Fujarski S, Lorenz H, et al. The Impact of Health Information Exposure and Source Credibility on COVID-19 Vaccination Intention in Germany. Int J Environ Res Public Health 2021;18. doi:10.3390/ijerph18094678
- 89 Goncu Ayhan S, Oluklu D, Atalay A, et al. COVID-19 vaccine acceptance in pregnant women. Int J Gynecol Obstet 2021.
- 90 Hammer CC, Cristea V, Dub T, *et al.* High but slightly declining COVID-19 vaccine acceptance and reasons for vaccine acceptance, Finland April to December 2020. *Epidemiol Infect* 2021;**149**:e123. doi:10.1017/S0950268821001114
- 91 İkiışık H, Akif Sezerol M, Taşçı Y, et al. COVID-19 vaccine hesitancy: A community-based research in Turkey. Int J Clin Pract 2021;**n/a**:e14336. doi:10.1111/jjcp.14336
- 92 Kabir R, Mahmud I, Chowdhury MT, et al. COVID-19 Vaccination Intent and Willingness to Pay in Bangladesh: A Cross-Sectional Study. *Vaccines* 2021;9. doi:10.3390/vaccines9050416
- 93 Kecojevic A, Basch CH, Sullivan M, et al. COVID-19 Vaccination and Intention to Vaccinate Among a Sample of College Students in New Jersey. *J Community Health* Published Online First: 27 April 2021. doi:10.1007/s10900-021-00992-3
- 94 Killgore WDS, Cloonan SA, Taylor EC, et al. The COVID-19 Vaccine Is Here—Now Who Is Willing to Get It? *Vaccines* 2021;**9**. doi:10.3390/vaccines9040339
- 95 Milan S, Dáu ALBT. The Role of Trauma in Mothers' COVID-19 Vaccine Beliefs and Intentions. *J Pediatr Psychol* 2021;**46**:526–35. doi:10.1093/jpepsy/jsab043
- 96 Mohan S, Reagu S, Lindow S, *et al.* COVID-19 vaccine hesitancy in perinatal women: a cross sectional survey. *J Perinat Med* Published Online First: 2021. doi:10.1515/jpm-2021-0069
- 97 Nazlı ŞB, Yığman F, Sevindik M, *et al.* Psychological factors affecting COVID-19 vaccine hesitancy. *Ir J Med Sci 1971* Published Online First: 14 May 2021. doi:10.1007/s11845-021-02640-0
- 98 Puteikis K, Mameniškienė R. Factors Associated with COVID-19 Vaccine Hesitancy among People with Epilepsy in Lithuania. *Int J Environ Res Public Health* 2021;**18**. doi:10.3390/ijerph18084374
- 99 Reno C, Maietti E, Fantini MP, et al. Enhancing COVID-19 Vaccines Acceptance: Results from a Survey on Vaccine Hesitancy in Northern Italy. *Vaccines* 2021;**9**. doi:10.3390/vaccines9040378
- 100 Sønderskov KM, Dinesen PT, Østergaard SD. Sustained COVID-19 vaccine willingness after safety concerns over the Oxford-AstraZeneca vaccine. *Dan Med J* 2021;**68**.http://europepmc.org/abstract/MED/33870886
- Schernhammer E, Weitzer J, Laubichler MD, et al. Correlates of COVID-19 vaccine hesitancy in Austria: trust and the government. *J Public Health* 2021;:fdab122. doi:10.1093/pubmed/fdab122







- Segal D, Arzi YI, Bez M, *et al.* Promoting Compliance to COVID-19 Vaccination in Military Units. *Mil Med* 2021;:usab183. doi:10.1093/milmed/usab183
- Sharma M, Davis RE, Wilkerson AH. COVID-19 Vaccine Acceptance among College Students: A Theory-Based Analysis. *Int J Environ Res Public Health* 2021;**18**. doi:10.3390/ijerph18094617
- Siewe Fodjo JN, Faria de Moura Villela E, Van Hees S, et al. Follow-Up Survey of the Impact of COVID-19 on People Living with HIV during the Second Semester of the Pandemic. *Int J Environ Res Public Health* 2021;**18**. doi:10.3390/ijerph18094635
- Tao L, Wang R, Han N, *et al.* Acceptance of a COVID-19 vaccine and associated factors among pregnant women in China: a multi-center cross-sectional study based on health belief model. *Hum Vaccines Immunother* 2021;:1–10. doi:10.1080/21645515.2021.1892432
- Wang C, Han B, Zhao T, et al. Vaccination willingness, vaccine hesitancy, and estimated coverage at the first round of COVID-19 vaccination in China: A national cross-sectional study. *Vaccine* 2021;**39**:2833–42. doi:10.1016/j.vaccine.2021.04.020
- 107 Wang P-W, Ahorsu DK, Lin C-Y, et al. Motivation to Have COVID-19 Vaccination Explained Using an Extended Protection Motivation Theory among University Students in China: The Role of Information Sources. *Vaccines* 2021;9. doi:10.3390/vaccines9040380
- Whiteman A, Wang A, McCain K, et al. Demographic and Social Factors Associated with COVID-19 Vaccination Initiation Among Adults Aged ≥65 Years - United States, December 14, 2020-April 10, 2021. MMWR Morb Mortal Wkly Rep 2021;**70**:725–30. doi:10.15585/mmwr.mm7019e4
- Carmody ER, Zander D, Klein EJ, et al. Knowledge and Attitudes Toward Covid-19 and Vaccines Among a New York Haredi-Orthodox Jewish Community. *J Community Health* Published Online First: 17 May 2021. doi:10.1007/s10900-021-00995-0
- 110 Geoghegan S, Stephens LC, Feemster KA, et al. "This choice does not just affect me." Attitudes of pregnant women toward COVID-19 vaccines: a mixed-methods study. *Hum Vaccines Immunother* 2021;:1–6. doi:10.1080/21645515.2021.1924018
- 111 Kumari A, Ranjan P, Chopra S, *et al.* Knowledge, barriers and facilitators regarding COVID-19 vaccine and vaccination programme among the general population: A cross-sectional survey from one thousand two hundred and forty-nine participants. *Diabetes Metab Syndr Clin Res Rev* 2021;**15**:987–92. doi:10.1016/j.dsx.2021.04.015
- Latkin C, Dayton L, Yi G, *et al.* COVID-19 vaccine delay: An examination of United States residents' intention to delay vaccine uptake. *Hum Vaccines Immunother* 2021;:1–11. doi:10.1080/21645515.2021.1917234
- Levy AT, Singh S, Riley LE, et al. Acceptance of COVID-19 vaccination in pregnancy: A survey study. Am J Obstet Gynecol 2021;:100399–100399. doi:10.1016/j.ajogmf.2021.100399







- Yılmaz M, Sahin MK. Parents' willingness and attitudes concerning the COVID-19 vaccine: A cross-sectional study. *Int J Clin Pract* 2021;**n/a**:e14364. doi:10.1111/ijcp.14364
- Al-Metwali BZ, Al-Jumaili AA, Al-Alag ZA, *et al.* Exploring the acceptance of COVID-19 vaccine among healthcare workers and general population using health belief model. *J Eval Clin Pract* 2021;**n/a**. doi:10.1111/jep.13581
- Elhadi M, Alsoufi A, Alhadi A, *et al.* Knowledge, attitude, and acceptance of healthcare workers and the public regarding the COVID-19 vaccine: a cross-sectional study. *BMC Public Health* 2021;**21**:955. doi:10.1186/s12889-021-10987-3
- 117 King WC, Rubinstein M, Reinhart A, et al. COVID-19 vaccine hesitancy January-March 2021 among 18-64 year old US adults by employment and occupation. medRxiv 2021;:2021.04.20.21255821. doi:10.1101/2021.04.20.21255821
- 118 McCabe SD, Hammershaimb EA, Cheng D, et al. Unraveling Attributes of COVID-19 Vaccine Hesitancy in the U.S.: A Large Nationwide Study. medRxiv 2021;:2021.04.05.21254918. doi:10.1101/2021.04.05.21254918
- Tang X, Gelband H, Nagelkerke N, et al. Quantifying COVID-19 vaccination hesitancy during early vaccination rollout in Canada. medRxiv 2021;:2021.04.29.21256333. doi:10.1101/2021.04.29.21256333
- Syan SK, Gohari M, Levitt EE, et al. COVID-19 VACCINE PERCEPTIONS AND DIFFERENCES BY SEX, AGE, AND EDUCATION: FINDINGS FROM A CROSS-SECTIONAL ASSESSMENT OF 1367 COMMUNITY ADULTS IN ONTARIO. medRxiv 2021;:2021.05.04.21256489. doi:10.1101/2021.05.04.21256489
- McKinnon B, Quach C, Dubé È, et al. Social and racial/ethnic differences in parental willingness to vaccinate children against COVID-19 in Montreal, Canada. medRxiv 2021;:2021.05.08.21256831. doi:10.1101/2021.05.08.21256831
- Angus Reid Institute. Despite months of mixed messages, most Canadians who received an AstraZeneca vaccine have no regrets. 2021. https://angusreid.org/wp-content/uploads/2021/05/2021.05.17_VAX_AZ.pdf
- Angus Reid Institute. Canadians show strong support for use in international travel, fewer willing to comply at home. 2021. https://angusreid.org/wp-content/uploads/2021/05/2021.05.26_US-Border_Vaccine-Certificate.pdf
- Statistics Canada. Canadians Health and COVID-19, by age and gender. 2021. https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1310080601
- 125 Statistics Canada. COVID-19 Vaccination Coverage Survey (CVCS): Cycle 1 full report. 2021. https://www.canada.ca/en/public-health/services/publications/vaccines-immunization/covid-19-vaccination-coverage-survey/full-report-cycle-1.html







- Leger. North American Tracker. 2021. https://2g2ckk18vixp3neolz4b6605-wpengine.netdna-ssl.com/wp-content/uploads/2021/06/Legers-North-American-Tracker-June-7th-2021_v3.pdf
- 127 Impact Canada. COVID-19 Snapshot Monitoring (COSMO Canada). 2021. https://impact.canada.ca/en/challenges/cosmo-canada
- 128 Engage Manitoba. Engage MB Survey Report. 2021. https://gov.mb.ca/asset_library/en/proactive/20212022/engagemb-survey-results-easing-public-health-restructions-june2021.pdf
- 129 Institut national de santé publique du Québec. Pandémie et vaccination contre la COVID-19 18 mai 2021. 2021. https://www.inspq.qc.ca/covid-19/sondages-attitudes-comportements-quebecois/vaccination/18-mai-2021
- Yang Y, Dobalian A, Ward KD. COVID-19 Vaccine Hesitancy and Its Determinants Among Adults with a History of Tobacco or Marijuana Use. *J Community Health* Published Online First: 6 May 2021. doi:10.1007/s10900-021-00993-2
- Presseau J, Desveaux L, Allen U. Behavioural science principles for supporting COVID-19 vaccine confidence and uptake among Ontario health care workers. *Sci Briefs Ont COVID-19 Sci Advis Table* 2021;**2**:12.







Appendices

Appendix 1. Data abstraction form templates

Study characteristics	Behaviour specs	Key fi	ndings/themes by COM-B and TDF do
Author:	Action(s):	Capabi	ility
Year:	Actor(s):		Knowledge:
URL:	Context(s):		Skills:
Design:	Target:		Behaviour regulation:
Publication status:	Time:		Memorylattention:
Countries/provinces:			Decision making:
Data collection date		Opport	tunity
range:			Environmental context & resources:
			Social influences:
		Motival	tion
			Intention (capture % intention/hesitant/confident where available) Goals: Social/professional role/identity: Beliefs about capabilities: Beliefs about consequences: Optimism:
			Dptimism: Reinforcement:
			Emotions:
		Other	Specify:
			n vaccine intention and/or hesitancy







Equity seeking groups			TDF/COM-B Key findings/themes						
Racelethnicitylindigeneity groups included:	Group A:		Group B:		Group C:				
	Capability		Capability		Capability				
		Knowledge:		Knowledge:		Knowledge:			
		Skills:		Skills:		Skills:			
		Behaviour regulation:		Behaviour regulation:		Behaviour regulation:			
		Memorylattention:		Memorylattention:		Memorylattention:			
		Decision making:		Decision making:		Decision making:			
	Opportunity		Opportunity		Opportunity				
		Environmental context & resources:		Environmental context & resources:		Environmental context & resources:			
		Social influences:	Social influences:			Social influences:			
	Motivation		Motivation		Motivation				
		Intention (capture %		Intention (capture %		Intention (capture %			
		intention/hesitant/confident where		intention/hesitant/confident where		intention/hesitant/confident where available)			
		available)		available)					
Other notes:		Goals:		Goals:		Goals:			
		Social/professional role/identity:		Social/professional role/identity:		Social/professional role/identity:			
		Beliefs about capabilities:		Beliefs about capabilities:		Beliefs about capabilities:			
		Beliefs about consequences:		Beliefs about consequences:		Beliefs about consequences:			
		Optimism:		Optimism:		Optimism:			
		Reinforcement:		Reinforcement:		Reinforcement:			
		Emotions:		Emotions:		Emotions:			
	Other	Specify:	Other	Specify:	Other	Specify:			
	%Mean vaccine i	ntention and/or hesitancy	%Mean vaccine	intention and/or hesitancy	%/Mean vaccine	e intention and/or hesitancy			







Appendix 2. Evidence of COVID-19 vaccination acceptance and uptake among the general public (k=118)

Study author	Publication status	Country	Design	Sample	Sample size	Data collection period	Mean % vaccine acceptance [actual uptake, if assessed]
North American st	tudies (<i>k</i> =47), lis	sted in order of	review upda	ates			
Garcia et al.	Published	USA	CS	General public (patients on dialysis)	1,515	Jan 8 - Feb 11, 2021	80%
Kecojevic et al.	Published	USA	CS	General public (university students)	457	Feb - Mar, 2021	53% [23%]
Killgore et al.	Published	USA	CS	General public	1,017	Dec 10-15, 2020	55%
Milan et al.	Published	USA	CS	General public (mothers with mood disorders)	240	Dec, 2020	60% (PTSD); 76% (other mood disorders)
Sharma et al.	Published	USA	CS	General public (university students)	282	Feb – Mar, 2021	53%
Whiteman et al.	Published	USA	CS	General public (aged >65 years)	42,736,710	Dec 14, 2020 - Apr 10, 2021	[79%]
Yang et al.	Published	USA	CS	General public (tobacco or marijuana users)	387	Dec, 2020 - Jan, 2021	49%
Carmody et al.	Published	USA	CS	General public (Orthodox Jewish Community)	102	Dec 7, 2020 - Jan 20, 2021	12%
Latkin et al.	Published	USA	CS	General public	585	Nov, 2020	22%
Levy et al.	Published	USA	CS	General public (pregnant women)	590	Dec 14, 2020 - Jan 14, 2021	58%







King et al.	Preprint	USA	LT	HCWs + General public	Jan survey: n= 791,716 Feb survey: n= 710,529 Mar	Jan 6 - Mar 31, 2021	78% [78%]
					survey: n= 732,308		
McCabe et al.	Preprint	USA	CS	HCWs + General public	34,470	Dec 4, 2020 - Feb 9, 2021	81%
Tang et al.	Preprint	Canada	CS	General public	14,621	Jan - Feb, 2021	91%
Syan et al.	Preprint	Canada	CS	General public	1,001	Jan 15 - Feb 15, 2021	83%
McKinnon et al.	Preprint	Canada	CS	General public (parents)	380	Jan - Apr, 2021	61% willing to vaccinate child
Angus Reid I	Unpublished dataset	Canada	LT	General public	1,319	May, 2021	82%
Statistics Canada I	Unpublished dataset	Canada	LT	General public	25,321,400	Jan - Feb, 2021	82%
Leger	Unpublished dataset	Canada & USA	LT	General public	1,624 (Can only)	May, 2021	86%
Impact Canada	Unpublished dataset	Canada	LT	General public	2,037	Feb, 2021	83%
INSPQ	Unpublished dataset	Canada	LT	General public	~3,300	May, 2021	74%
Engage Manitoba	Unpublished dataset	Canada	LT	General public	33,904	Jun 4-8, 2021	88% [86%]
Statistics Canada II	Unpublished dataset	Canada	LT	General public	1,025	Mar - Apr, 2021	80% [80%]







Angus Reid II	Unpublished dataset	Canada	CS	General public	1,601	May, 2021	60% [55%]
Nguyen II et al.* [51]	Preprint	USA data only	Cohort	General public	87,388	Mar 24, 2020 - Feb 16, 2021	91%
ladarola et al. [37]	Preprint	USA	CS	People with intellectual and developmental disabilities	825	Jan 19 - Feb 9, 2021	62% [14%]
Lunsky et al. [44]	Published	Canada	CS	Workers supporting adults with intellectual disabilities	3,371	Jan 21 - Feb 3, 2021	62%
Ricotta et al. [57]	Preprint	USA	CS	Patients with chronic respiratory or autoimmune disease, and health control sample	2,535	Feb, 2021	NR
Daly et al. [25]	Preprint	USA	LT	General public	7,840	Oct, 2020 - Feb, 2021	61%
Dalal et al. [24]	Published	USA	CS	Inflammatory bowel disease patients	906	Dec 22, 2020 - Jan 26, 2021	81%
Grumbach et al. [35]	Published	USA	CS	General public	3,161	Nov 27, 2020 - Jan 15, 2021	66%
Kuhn et al. [42]	Preprint	USA	CS	People experiencing homelessness	90	Dec, 2020 - Jan, 2021	52%
Benis et al. [18]	Published	USA	CS	General public (social media users)	1,644	Dec 10-24, 2020	NR







Piltch-Loeb et al. [55]	Preprint	USA	CS	People from vaccine priority group (inc. HCWs)	2,650	Dec 13-23, 2020	40%
Savoia et al. [63]	Preprint	USA	CS	General public	2,650	Dec 13-23, 2020	40%
Teixeira da Silva et	Published	USA	CS	People from sexual	1,350	Oct 19 - Dec 16,	NR (1-10 scale, mean=7,
al. [71]				and gender minority backgrounds		2020	SD= 3.1
Kaplan & Milstein [39]	Published	USA	Ехр	General public	1,000 (Aug) & 1,000 (Dec)	Aug 20-27 & Dec 16- 22, 2020	NR
Doherty et al. [28]	Preprint	USA	CS	General public (underserved rural and urban communities)	948	Aug 27 - Dec 15, 2020	69%
Stern et al. [69]	Published	USA	CS	Incarcerated or detained residents	5,110	Sep 22 - Dec 12, 2020	45%
Park et al. [53]	Published	USA	CS	General public (Asian Americans and Pacific Islanders specifically)	1,646	Oct 24 - Dec 11, 2020	44%
Szilagyi et al. [70]	Published	USA	CS	General public	8,167 total (5,660 from Nov-Dec 2020 sample)	Apr 1 - Dec 8, 2020	Apr: 74% & Dec: 56%
Salmon et al. [61]	Published	USA	CS	General public	2,525	Nov 25 - Dec 7, 2020	50% classified as 'intenders'







Nguyen I et al. [50]	Published	USA	CS	General public	3,541 (Sep) & 2,033 (Dec)	Sep & Dec, 2020	Sep: 39% & Dec: 49%
Sotiriou et al. [67]	Published	USA	CS	Patients with psoriasis and immunosuppressed patients with other skin conditions	941	Nov 10-25, 2020	Psoriasis group: 80% & other skin condition group: 51%
Nikolovski et al. [52]	Preprint	USA	CS	Clinical trial cohort (age: 65+)	7,621	Nov 6-20, 2020	91%
Graupensperger et al. [34]	Published	USA	CS	General public (university students)	647	Nov 2-13, 2020	92%
Craig [23]	Published	USA	CS	General public	1,153	Nov 9-11, 2020	61%
Dorman et al. [29]	Published	USA	CS	General public	26,324	Oct - Nov, 2020	NR (most of the groups had mean scores between 4 (neutral) and 5 (slightly agree)







Study author	Publication status	Country	Design	Sample	Sample size	Data collection period	Mean % vaccine acceptance [actual uptake, if assessed]
International studi	es (<i>k</i> =72), listed	d in order of rece	ncy of data	collection			
Abedin et al.	Published	Bangladesh	CS	General public	3,646	Dec 12, 2020 - Jan 7, 2021	75%
Allington et al.	Published	UK	CS	General public	4,343	Nov 21 - Dec 21, 2020	NR
Almaghaslah et al.	Published	Saudi Arabia	CS	General public	862	Jan 15 - Feb 7, 2021	20%
Bai et al.	Published	China	CS	General public (university students)	2,881	Dec 27, 2020 - Jan 18, 2021	76%
Bendau et al.	Published	Germany	CS	General public	1,779	Jan 1-11, 2021	65%
Brodziak et al.	Published	Poland	CS	General public (patients with cancer)	635	Jan 26 - Feb 18, 2021	60%
Caron et al.	Published	France	CS	General public (patients with IBD)	104	Jan 8 - Feb 22, 2021	55%
Felten et al.	Published	Multiple (Global)	CS	General public (patients with autoimmune and inflammatory diseases)	1,258	Dec 12-21, 2020	Suspicious cluster (16%); Hesitant cluster (65%); Voluntary cluster (97%)
Gehrau et al.	Published	Germany	CS	General public	629	Nov 23 - Dec 7, 2020	NR
Goncu Ayhan et al.	Published	Turkey	CS	General public	300	Jan 1 - Feb 1, 2021	37%
Hammer et al.	Published	Finland	LT	General public	1,059	Nov 27 - Dec 1, 2020	64%







İkiışık et al.	Published	Turkey	CS	General public	384	Dec 25-30, 2020	55%
Kabir et al.	Published	Bangladesh	CS	General public	697	Jan, 2021	69%
Mohan et al.	Published	Multiple	CS	General public	341	Oct 15 - Nov 15,	49%
		(Qatar + Asian		(perinatal women)		2020	
		countries)					
Nazlı et al.	Published	Turkey	CS	General public	467	Mar - Apr, 2021	85%
Puteikis et al.	Published	Lithuania	CS	General public	58	Dec, 2020	47%
				(people with			
				epilepsy +			
				caregivers)			
Reno et al.	Published	Italy	CS	General public	1,011	Jan 19-26, 2021	69%
Sønderskov et al.	Published	Denmark	CS	General public	1,491	Feb 4-24, 2021	89%
Schernhammer et	Published	Austria	CS	General public	1,007	Nov, 2020 – Feb,	36%
al.						2021	
Segal et al.	Published	Israel	RS	General public	18,719	Dec, 2020 – Feb,	[85%]
				(military personnel)		2021	
Siewe Fodjo et al.	published	Multiple (26	CS	General public	247	Jul - Nov, 2020	76%
		countries)		(Patients with HIV)			
Tao et al.	published	China	CS	General public	1,392	Nov 13-17, 2020	77%
				(pregnant women in			
				China)			
Wang et al.	published	China	CS	General public	8,742	Jan10-22, 2021	67%
Wang et al.	published	China	CS	General public	3,145	Jan 5-16, 2021	NR
				(university students)			
Geoghegan et al.	published	Ireland	CS	General public	300	Dec, 2020	38%
				(pregnant women)			
Kumari et al.	published	India	CS	General public	1,294	Mar 13-25, 2021	84%
Kumari et al.	published	India	CS	" "	1,294	Mar 13-25, 2021	84%







Yılmaz et al.	published	Turkey	CS	General public (parents)	1,035	Feb 8-21, 2021	60% themselves; 36% to vaccinate children
Al-Metwali et al.	Published	Iraq	CS	HCWs + General public	1,680	Dec 1-19, 2020	62%
Elhadi et al.	Published	Libya	CS	HCWs + General public	15,087	Dec 1-18, 2020	70%
Sprengholz et al. [68]	Published	Germany	Ехр	General public	1,012	Feb 23-24, 2021	72%
Nguyen II et al.* [51]	Preprint	UK data only	Cohort	General public	1,254,294	Mar 24, 2020 - Feb 16, 2021	95%
Urrunaga-Pastor et al. [73]	Published	Multiple (200+ countries)	CS	General public (Latin American and Caribbean respondents)	472,521	Jan 15 - Feb 1, 2021	80%
Malesza & Bozym [46]	Preprint	Poland	CS	General public (age: 70+)	1,427	Jan - Feb, 2021	[63%]
Argote et al. [16]	Preprint	Multiple (Latin America)	Exp	General public	13,189	11-29 Jan, 2021	59%
Machida et al. [45]	Published	Japan	SC	General public	2,956	Jan 14-28, 2021	62%
Khaled et al. [40]	Preprint	Qatar	CS	General public	1,038	Dec 15, 2020 - Jan 25, 2021	43%
Sallam et al. [60]	Published	Jordan	CS	General public (university students)	1,106	Jan 19-23, 2021	35%
Malesza & Wittmann [47]	Published	Germany	CS	General public (age: 75+)	1,084	Jan 4-17, 2021	57% [21%]







Yurttas et al. [77]	Published	Turkey	CS	General public (inc.	732	Jan 4-13, 2021	29% - 53% (median=39%)
				rheumatology			
				patients & HCWs)			
Soares et al. [66]	Published	Portugal	CS	Gen public	1,943	Sep 29, 2020 - Jan 8,	35%
						2021	
Serrazina et al.	Published	Portugal	CS	Patients with	256	Dec 21, 2020 - Jan 3,	81%
[64]				multiple sclerosis		2021	
Carbone et al. [21]	Preprint	Italy	CS	Pregnant people	142	Jan, 2021	28%
Radic et al. [56]	Published	Global	CS	International	1,221	Dec, 2020 - Jan,	NR
				travelers		2021	
Arce et al. [15]	Preprint	Multiple	CS	General public	45,928	Jun, 2020 – Jan,	30% - 97% (median=78%)
		(mainly LMICs)				2021	
Vallée et al. [74]	Published	France	CS	Patients with HIV	237	Jan, 2021	71%
Biasio et al. [19]	Published	Italy	CS	General public	885 (Jun,	Jun, 2020 & Jan,	91%
					2020); 160	2021	
					(Jan, 2021)		
Kukreti et al. [43]	Published	Taiwan	CS	HCW & outpatient	500 (HCWs);	Sep 24 - Dec 31,	31%
				samples	238 (patients)	2020	
Iheanacho et al.	Preprint	Nigeria	CS	General public	410	Nov 20 - Dec 28,	57%
[38]						2020	
Mappa et al. [48]	Published	Italy	CS	Pregnant people	161	Dec 27, 2020	53%
Petravić et al. [54]	Published	Slovenia	CS	Gen public (inc.	12,042	Dec 17-27, 2020	59%
				HCWs)			
Sallam et al. [59]	Published	Multiple (Arab	CS	General public	3,414	Dec 14-18, 2020	29%
		states)					
Wouters et al.	Published	Multiple	CS	General public	26,758	Oct 21 - Dec 16,	38% - 98% (median=73%)
[76]		(Global)				2020	







Alfageeh et al.	Published	Saudi Arabia	CS	General public	2,137	Dec 8-14, 2020	48%
Campochiaro et al. [20]	Published	Italy	CS	Rheumatology and oncology patients	202 rheum & 68 oncology	Nov 23 - Dec 10, 2020	82%
Dickerson et al. [27]	Preprint	UK	CS (inc. Qual data)	General public	535	Oct 9 - Dec 9, 2020	29%
Robertson et al. [58]	Preprint	UK	CS	General public (part of an ongoing study)	12,035	Nov 24 - Dec 1, 2020	82%
Beesley et al. [17]	Published	Multiple (Europe)	CS (inc. Qual data)	Rheumatology patients	1,505 adult & 140 paediatric	Dec, 2020	Adult: 87% & paediatric: 66%
Samarasekera et al. [62]	Published	Multiple (Africa)	CS	General public	>15,000	Aug - Dec, 2020	59% - 94% (median=79%)
Wang et al. [75]	Published	China	Cohort	General public	2,058 in Mar; 2,013 in Dec; 791 longitudinal	Mar & Dec, 2020	23%
Di Giuseppe et al. [26]	Published	Italy	CS	General public (university students)	1,518	Sep 14 - Nov 30, 2020	84%
Knights et al. [41]	Published	UK	Qual	General public (migrants, inc. HCWs)	81	Jun 18 - Nov 30, 2020	NR
Mo et al. [49]	Published	China	CS	General public (university students)	6,922	Nov 1-28, 2020	79%
Cordina et al. [22]	Published	Malta	CS	General public	3,363	Oct 26 - Nov 26, 2020	50%







Eguia et al. [30]	Published	Spain	CS	General public (inc. HCWs)	731	Sep 10 - Nov 23, 2020	78%
Han et al. [36]	Preprint	China	CS	General public (migrants)	2,126	Nov 1-20, 2020	89%
Skjefte et al. [65]	Published	Multiple (Global)	CS	Pregnant people & non-pregnant mothers	17,871	Oct 28 - Nov 18, 2020	69%
Alabdulla et al. [13]	Published	Qatar	CS	General public (inc. HCWs)	7,821	Oct 15 - Nov 15, 2020	60%
Gan et al. [32]	Published	China	CS	General public	1,009	Oct 23 - Nov 10, 2020	60%
Tran et al. [72]	Published	Russia	CS	General public	876	Sep 26 - Nov 9, 2020	42%
Zampetakis & Melas [78]	Published	Greece	Exp	General public	1,006	Oct 1 - Nov, 5 2020	NR
El-Elimat et al. [31]	Preprint	Jordan	CS	General public	3,100	Nov, 2020	37%
Gautam et al. [33]	Preprint	India	CS	General public	1,078	Oct – Nov, 2020	77%

Table 1 notes: COM-B model = Capability, Opportunity, and Motivation-Behaviour model; CS = cross-sectional survey; Exp = Experimental study design; HCW = healthcare worker, LT = longitudinal study; N/A = studies that did not capture these factors; NR = not reported; Qual = qualitative; TDF = Theoretical Domains Framework; * = Nguyen II et al. collected both USA and UK data so included in both North America and International sections; RS = Retrospective study







Appendix 3. Capability-related factors associated with COVID-19 vaccination acceptance and uptake

TDF Domain (Definition)

Knowledge

(What do HCW know & how does that influence what they do? Do they have the procedural knowledge (know how to do it)?)

Vaccination acceptance

- $k=13 \rightarrow \text{BARRIER}$: Insufficient knowledge/education/understanding about COVID-19 and COVID-19 vaccines [13,17,24,27,32,41,51,64,69,99,105,111,127]
 - Equity-seeking group data → Frequency comparisons suggest Black, Latinx, and South Asian respondents cited lack of knowledge at higher rates than White respondents [51]. Among incarcerated/detained residents, a common reason reported for COVID-19 vaccine hesitancy was waiting for more information [69]

Vaccination uptake

• No studies yet identified linking knowledge directly to vaccination uptake data







Appendix 4. Opportunity-related factors associated with COVID-19 vaccination acceptance and uptake

TDF Domain (Definition)

Environmental context and resources

(What in HCWs environment influence what they do and how do they influence?)

Vaccination acceptance

- $k=5 \rightarrow BARRIER$: Access issues in terms of time, convenience, and cost [44,75,90,92,103]
- $k=9 \rightarrow$ ENABLER: Access to and trust in reputable scientific/non-scientific information sources about COVID-19 and COVID-19 vaccines (e.g., cues to action) [47,49,55,56,60,80,88,115,129]

Vaccination uptake

• $k=1 \rightarrow$ ENABLER: Access to and trust in reputable scientific/non-scientific information sources about COVID-19 and COVID-19 vaccines (e.g., cues to action) [129]

TDF Domain (Definition)

Social influences

(What do others do? What do others think of what HCWs do or what they should do? Who are they and how does that influence what they do?)

Vaccination acceptance

- $k=24 \rightarrow BARRIER$: State/government/public health agency/media mistrust [13,27,28,31,35,37,41,50,54,55,59,61,65,66,69,71–73,79,95,100,109,113,114]
 - Equity-seeking group data → Black respondents reported great levels of
 mistrust compared to White respondents [28,35,37]. Among
 incarcerated/detained residents who would refuse a COVID-19 vaccination, 20%
 cited distrust of health care, correctional, or governmental personnel or
 institutions [69]. Among individuals from sexual and gender minority







backgrounds, medical mistrust was associated with lower COVID-19 vaccination acceptance [71]

- $k=8 \rightarrow$ BARRIER: Influence of social contacts, family members, peers, co-workers, and political figures in relation to COVID-19 vaccination acceptance (social norms) [34,39,44,49,73,92,112,115]
- $k=4 \rightarrow BARRIER$: Direct advice from medical professionals about vaccination [17,20,110,111]
- $k=6 \rightarrow$ ENABLER: Advice from medical professionals encouraging vaccination [22,46,52,73,75,105]

Vaccination uptake

• $k=1 \rightarrow$ ENABLER: Positive influences of social contacts, family members, peers/colleagues, and political figures in relation to COVID-19 vaccination [93]







Appendix 5. Motivation-related factors associated with COVID-19 vaccination acceptance and uptake

TDF Domain (Definition)

Beliefs about consequence

(What are the good and bad things that can happen from what HCWs do and how does that influence whether they'll do it in the future?)

Vaccination acceptance

- $k=38 \rightarrow BARRIER$: Concerns about vaccine safety (e.g., side-effects) [15,19,24,29–31,36,39–41,44,50,53,58,59,61,62,65,67,72,74,85–87,89,90,92,96,98–100,105,106,110,112,113,120,127]
- $k=14 \rightarrow BARRIER$: Beliefs about vaccine efficacy and in particular efficacy against COVID-19 variants of concern [26,32,35,36,45,47,49,75,81,82,85,99,106,112]
 - Equity-seeking group data → Black and Asian respondents twice as likely to express doubts in vaccine efficacy than White respondents [35]
- $k=12 \rightarrow BARRIER$: Beliefs that vaccine not necessary (e.g., feel in good health, already protected) [13,22,27,44,48,52,58,61,66,72,73,109]
- $k=7 \rightarrow BARRIER$: Concerns about rushed vaccine development [13,27,35,44,66,111,112]
 - Equity-seeking group data → Black, Latinx and Asian respondents reported greater concern about rushed approval process than White respondents [35]
- $k=3 \rightarrow BARRIER$: Concern about adverse reactions (specifically contraindications among patients) [17,20,57]
- $k=16 \rightarrow$ ENABLER: Concerns about being infected by COVID-19 (e.g., perceived susceptibility to COVID-19 and its severity) [14,18,38,55,63,75,78,80,82,90–92,94,97,99,107]
- $k=9 \rightarrow$ ENABLER: Positive attitudes and confidence towards COVID-19 vaccines (e.g., perceived benefit) [80,82,84,98,103,105,111,115,125]







- $k=6 \rightarrow$ ENABLER: Belief that getting vaccinated will protect family/others specifically [44,45,64,71,73,111]
 - Equity-seeking group data → Role of altruistic motivation among people from sexual and gender minority backgrounds, acceptance of a COVID-19 vaccine was positively associated with altruistic motivations [71]

Vaccination uptake

- $k=1 \rightarrow BARRIER$: Concerns about vaccine efficacy [47]
- $k=1 \rightarrow$ ENABLER: Positive attitudes and confidence towards COVID-19 vaccines (e.g., perceived benefit) [125]

TDF Domain (Definition)

Social/professional role and identity

(How does their role/responsibility (in various settings) influence whether they do or not? How does who they are as a HCW influence whether they do something or not? Is the behaviour something they are supposed to do or is someone else responsible?)

Vaccination acceptance

- $k=5 \rightarrow$ ENABLER: Certain political preferences/identities [39,94,95,101,103]
- $k=4 \rightarrow$ ENABLER: When getting vaccinated seen as a professional or collective/prosocial responsibility [18,44,56,85]

Vaccination uptake

• $k=1 \rightarrow$ ENABLER: When getting vaccinated seen as a professional or collective/prosocial responsibility [93]

TDF Domain (Definition)

Reinforcement

(How have their experiences (good and bad) of doing it in the past influence whether or not they do it? Are there incentives/rewards?)







Vaccination acceptance

- $k=2 \rightarrow$ BARRIER: Past experience with vaccine-related allergic reactions and refusal [17,75]
- $k=1 \rightarrow BARRIER$: Previously tested positive for COVID-19 themselves were more hesitant towards vaccination [63]
- $k=21 \rightarrow$ ENABLER: Historical seasonal influenza vaccination [13,14,20,22,23,27,31,32,61,63–66,74,84,87,98,99,110,115,130]
- $k=3 \rightarrow$ ENABLER: Members of families/close social network having being infected with COVID-19 [14,55,111]
- $k=2 \rightarrow$ **ENABLER**: Engaging with COVID-19 infection behaviours (i.e. personal protective behaviour) throughout the pandemic [43,73]

Vaccination uptake

• k=1→ ENABLER: Historical seasonal influenza vaccination [93]

TDF Domain (Definition)

Emotion

How do they feel (affect) about what they do and do those feelings influence what they do?

Vaccination acceptance

- $k=2 \rightarrow BARRIER$: Psychological distress (generalized anxiety, post-traumatic stress disorder) was associated with higher vaccine acceptance [94,95]
- $k=7 \rightarrow$ ENABLER: Psychological distress (stress, depression, COVID-19-focused anxiety) was associated with higher vaccine acceptance [66,73,77,83,97,110,130]
- $k=3 \rightarrow$ ENABLER: Fear about the consequences of contracting COVID-19 [83,105,114]

Vaccination uptake

• No studies yet identified linking emotion directly to vaccination uptake data

TDF Domain (Definition)







Goals

How important is what they do & does that influence whether or not they do it?

Vaccination acceptance

• $k=1 \rightarrow$ **ENABLER:** Matching vaccine preference [68]

Vaccination uptake

• No studies yet identified linking goals directly to vaccination uptake data

TDF Domain (Definition)

Optimism

How does whether they are optimistic/pessimistic influence what they do?

Vaccination acceptance

• $k=1 \rightarrow$ ENABLER: Optimism associated with higher acceptance [101]

Vaccination uptake

• No studies yet identified linking optimism directly to vaccination uptake data